



South Coast Air Quality Management District



21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

June 12, 2008

Mr. Gerardo Rios
U.S. EPA, Region IX
75 Hawthorne Street
San Francisco, CA 94105

SUBJECT: Transmittal of Proposed Title V Renewal Permit
LADWP, Scattergood Generating Station
12700 Vista Del Mar
Playa Del Rey, CA 90393
Facility ID 800075

Dear Mr. Rios:

Enclosed is the above-referenced proposed renewal of a Title V permit along with the facility permit application, a Statement of Basis and public notice. With your receipt of this proposed Title V permit, we will note that the EPA 45-day review period has begun.

Questions on the proposed permit should be directed to Mr. Chris Perri, Air Quality Engineer, at (909) 396-2696 or cperri@aqmd.gov.

Sincerely,

Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering and Compliance

MN:MDM:MYL:RGC:CGP

Enclosures:

Facility Permit (Proposed Renewal)
Public Notice
Statement of Basis
Facility Permit Application

Cleaning the air that we breathe...

FACILITY PERMIT TO OPERATE

**LA CITY, DWP SCATTERGOOD GENERATING STN
12700 VISTA DEL MAR
PLAYA DEL REY, CA 90293**

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR A COPY THEREOF MUST BE KEPT AT THE LOCATION FOR WHICH IT IS ISSUED.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT SHALL NOT BE CONSTRUED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF ANY OTHER FEDERAL, STATE OR LOCAL GOVERNMENTAL AGENCIES.

Barry R. Wallerstein, D. Env.
EXECUTIVE OFFICER

By _____
Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

TABLE OF CONTENTS

Section	Description	Revision #	Date Issued
A	Facility Information	DRAFT	06/10/2008
B	RECLAIM Annual Emission Allocation	DRAFT	06/10/2008
C	Facility Plot Plan	TO BE DEVELOPED	
D	Facility Description and Equipment Specific Conditions	DRAFT	06/10/2008
E	Administrative Conditions	DRAFT	06/10/2008
F	RECLAIM Monitoring and Source Testing Requirements	DRAFT	06/10/2008
G	Recordkeeping and Reporting Requirements for RECLAIM Sources	DRAFT	06/10/2008
H	Permit To Construct and Temporary Permit to Operate	DRAFT	06/10/2008
I	Compliance Plans & Schedules	DRAFT	06/10/2008
J	Air Toxics	DRAFT	06/10/2008
K	Title V Administration	DRAFT	06/10/2008
Appendix			
A	NOx and SOx Emitting Equipment Exempt From Written Permit Pursuant to Rule 219	DRAFT	06/10/2008
B	Rule Emission Limits	DRAFT	06/10/2008

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION A: FACILITY INFORMATION

LEGAL OWNER &/OR OPERATOR: LA CITY, DWP SCATTERGOOD GENERATING STN

LEGAL OPERATOR (if different than owner):

EQUIPMENT LOCATION: 12700 VISTA DEL MAR
PLAYA DEL REY, CA 90293-8599

MAILING ADDRESS: P.O. BOX 51111 RM 1050
LOS ANGELES, CA 90051-0100

RESPONSIBLE OFFICIAL: ARAM BENYAMIN

TITLE: ACTING SENIOR ASSISTANT GENERAL MANAGER

TELEPHONE NUMBER: (213) 367-4435

CONTACT PERSON: MARK SEDLACEK

TITLE: DIRECTOR OF ENVIRONMENTAL SERVICES

TELEPHONE NUMBER: (213) 367-0403

TITLE V PERMIT ISSUED:

TITLE V PERMIT EXPIRATION DATE:

TITLE V		RECLAIM	
YES	NOx:	YES	
	SOx:	NO	
	CYCLE:	1	
	ZONE:	COASTAL	

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NOx RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NOx emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)		Zone	NOx RTC Initially Allocated	NOx RTC ¹ Holding as of 06/10/08 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
7/2005	6 /2006	Coastal	0	41852	0
1/2006	12/2006	Coastal	216401	148250	0
7/2006	6 /2007	Coastal	0	64976	0
1/2007	12/2007	Coastal	216401	16414	0
7/2007	6 /2008	Coastal	0	157759	0
1/2008	12/2008	Coastal	216401	389751	19280
7/2008	6 /2009	Coastal	0	152935	4824
1/2009	12/2009	Coastal	216401	591980	38561
7/2009	6 /2010	Coastal	0	148111	9648
1/2010	12/2010	Coastal	216401	572699	57841
7/2010	6 /2011	Coastal	0	134344	13568
1/2011	12/2011	Coastal	216401	271162	37788
7/2011	6 /2012	Coastal	0	87126	12141
1/2012	12/2012	Coastal	216401	271162	37788
7/2012	6 /2013	Coastal	0	87126	12141
1/2013	12/2013	Coastal	216401	271162	37788
7/2013	6 /2014	Coastal	0	87126	12141

Footnotes:

- 1: This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
- 2: The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NO_x RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NO_x emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year		Zone	NO _x RTC Initially Allocated	NO _x RTC ¹ Holding as of 06/10/08 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
Begin	End				
(month/year)					
1/2014	12/2014	Coastal	216401	271162	37788
7/2014	6 /2015	Coastal	0	87126	12141
1/2015	12/2015	Coastal	216401	271162	37788
7/2015	6 /2016	Coastal	0	87126	12141
1/2016	12/2016	Coastal	216401	271162	37788
7/2016	6 /2017	Coastal	0	87126	12141
1/2017	12/2017	Coastal	216401	271162	37788
7/2017	6 /2018	Coastal	0	87126	12141
1/2018	12/2018	Coastal	216401	271162	37788
7/2018	6 /2019	Coastal	0	87126	12141
1/2019	12/2019	Coastal	216401	271162	37788
7/2019	6 /2020	Coastal	0	87126	12141
1/2020	12/2020	Coastal	216401	271162	37788
7/2020	6 /2021	Coastal	0	87126	12141
1/2021	12/2021	Coastal	216401	271162	37788
7/2021	6 /2022	Coastal	0	87126	12141
1/2022	12/2022	Coastal	216401	271162	37788

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of NO_x RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. Total NO_x emission shall not exceed such annual allocations unless the operator obtains RTCs corresponding to the facility's increased emissions in compliance with Rules 2005 and 2007.

The level of Starting Allocation plus Non-Tradable Credits used to determine compliance with Rule 2005(c)(4) and applicability of Rule 2005(e) - Trading Zone Restrictions is listed on the last page of this Section.

The following table lists the annual allocations that were issued to this facility and the amounts of RTCs held by this facility on the day of printing this Section.

RECLAIM POLLUTANT ANNUAL ALLOCATION (POUNDS)

Year Begin End (month/year)		Zone	NO _x RTC Initially Allocated	NO _x RTC ¹ Holding as of 06/10/08 (pounds)	Non-Tradable ² Non-Usable RTCs (pounds)
7/2022	6 /2023	Coastal	0	87126	12141
1/2023	12/2023	Coastal	216401	271162	37788

Footnotes:

1. This number may change due to pending trades, emissions reported under Quarterly Certification of Emissions Report (QCER) and Annual Permit Emission Program (APEP) Report required pursuant to Rule 2004, or deductions made pursuant to Rule 2010(b). The most recent total RTC information can be obtained from the District's RTC Listing.
2. The use of such credits is subject to restrictions set forth in paragraph (f)(1) of Rule 2002.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION B: RECLAIM ANNUAL EMISSION ALLOCATION

The annual allocation of RECLAIM Trading Credits (RTCs) for this facility is calculated pursuant to Rule 2002. If the facility submits a permit application to increase an annual allocation to a level greater than the facility's Starting Allocation plus Non-Tradable Credits as listed below, the application will be evaluated for compliance with Rule 2005(c)(4). Rule 2005(e)-Trading Zone Restrictions applies if an annual allocation is increased to a level greater than the facility's Starting Allocation plus Non-Tradable Credits:

Year		Zone	NOx RTC Starting Allocation (pounds)	Non-Tradable Credits(NTCs) (pounds)
Begin	End			
1/1994	12/1994	Coastal	1559677	0

**FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN**

SECTION C: FACILITY PLOT PLAN

(TO BE DEVELOPED)

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 1 : FUEL OIL TRUCK UNLOADING					
SUMP, FUEL OIL, CONCRETE/STEEL; 600 BARREL CAPACITY, WIDTH: 13 FT 8 IN; DEPTH: 11 FT 2 IN; LENGTH: 21 FT 8 IN A/N: 310532	D9				
Process 2 : PETROLEUM STORAGE					
STORAGE TANK, EXTERNAL FLOATING ROOF, STEAM HEATED, NO. 200,001, FUEL OIL, 200000 BBL; DIAMETER: 180 FT; HEIGHT: 48 FT WITH A/N: G01741 FLOATING ROOF, WELDED SHELL PRIMARY SEAL, METALLIC SHOE	D10				H23.1
STORAGE TANK, EXTERNAL FLOATING ROOF, STEAM HEATED, NO. 175,001, FUEL OIL, 175000 BBL; DIAMETER: 162 FT; HEIGHT: 48 FT WITH A/N: G01744 FLOATING ROOF, WELDED SHELL PRIMARY SEAL, METALLIC SHOE	D11				H23.1

* (1)(1A)(1B) Denotes RECLAIM emission factor

(2)(2A)(2B) Denotes RECLAIM emission rate

(3) Denotes RECLAIM concentration limit

(4) Denotes BACT emission limit

(5)(5A)(5B) Denotes command and control emission limit

(6) Denotes air toxic control rule limit

(7) Denotes NSR applicability limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)

(9) See App B for Emission Limits

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2 : PETROLEUM STORAGE					
STORAGE TANK, EXTERNAL FLOATING ROOF, STEAM HEATED, NO. 175,002, FUEL OIL, 175000 BBL; DIAMETER: 162 FT; HEIGHT: 48 FT WITH A/N: G01743 FLOATING ROOF, WELDED SHELL PRIMARY SEAL, METALLIC SHOE	D12				H23.1
STORAGE TANK, EXTERNAL FLOATING ROOF, STEAM HEATED, NO. 175,003, FUEL OIL, 175000 BBL; DIAMETER: 162 FT; HEIGHT: 48 FT WITH A/N: G01742 FLOATING ROOF, WELDED SHELL PRIMARY SEAL, METALLIC SHOE	D13				H23.1
STORAGE TANK, EXTERNAL FLOATING ROOF, STEAM HEATED, NO. 65,001, FUEL OIL, 65000 BBL; DIAMETER: 100 FT; HEIGHT: 48 FT WITH A/N: G01745 FLOATING ROOF, WELDED SHELL	D14				H23.1

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit.

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 2 : PETROLEUM STORAGE					
PRIMARY SEAL, METALLIC SHOE					
Process 4 : ABRASIVE BLASTING					
ABRASIVE BLASTING, OPEN, 600 POUNDS CAPACITY, TWO NOZZLES, NOZZLE DIA.: 3/8 INCH A/N: 120355	D18			PM: (9) [RULE 1140,8-2-1985;RULE 405,2-7-1986]	D323.1
ABRASIVE BLASTING, ROOM, ALUMINUM OXIDE, SUPPLIED WITH PLANT AIR AT A MAXIMUM DELIVERY RATE OF 7500 CFM, WIDTH: 10 FT; HEIGHT: 10 FT; LENGTH: 15 FT WITH A/N: 294640 ABRASIVE BLASTING NOZZLE, DIAMETER: 0.313 IN; 115 PSIA	D50	C52		PM: (9) [RULE 1140,8-2-1985;RULE 404,2-7-1986;RULE 405,2-7-1986]	B59.1
BAGHOUSE, CARTRIDGE FILTER, ICM, MODEL #HB2000E, WITH CYCLONE, 2178 SQ. FT.; 330 CARTRIDGE A/N: 294637	C52	D50			D12.2, D322.1, D381.1, E102.1, K67.2
Process 5 : INTERNAL COMBUSTION, POWER GENERATION					
INTERNAL COMBUSTION ENGINE, EMERGENCY POWER, DIESEL FUEL, CUMMINS, MODEL VT12-700-G5, WITH AFTERCOOLER, TURBOCHARGER, 700 HP A/N:	D19		NOX: PROCESS UNIT**	NOX: 469 LBS/1000 GAL DIESEL (1) [RULE 2012,12-5-2003] ; PM: (9) [RULE 404,2-7-1986]	B59.2, C1.3, D12.3, E116.1, E162.1, E262.1, H23.6, K67.4

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN**

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6 : EXTERNAL COMBUSTION, POWER GENERATION					
BOILER, UNIT NO. 1, DIGESTER GAS, FUEL OIL NO. 6, NATURAL GAS, COMBUSTION ENGINEERING, 1,200,000 POUNDS OF STEAM PER HOUR, WITH OXYGEN CONTENT CONTROL, 1750 MMBTU/HR WITH A/N: 430935	D24	S45 C71 C73	NOX: MAJOR SOURCE**	CO: 2000 PPMV (5A) [RULE 407,4-2-1982] ; CO: 500 PPMV (5) [RULE 1303(b)(2)-Offset,5-10-1996;RULE 1303(b)(2)-Offset,12-6-2002] NOX: 5 PPMV (3) [RULE 2009,5-11-2001] ; PM: 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981] ; SO2: (9) [40CFR 72 - Acid Rain Provisions,11-24-1997] SOX: 500 PPMV FUEL OIL (5) [RULE 407,4-2-1982]	A99.1, A195.3, B61.2, C1.5, C1.7, D28.2, D371.1, E193.1
GENERATOR, 179 MW					
SELECTIVE CATALYTIC REDUCTION, NO. 1-A, HALDOR TOPSOE, WITH 794 CUBIC FEET OF CATALYST VOLUME, WIDTH: 5 FT; HEIGHT: 25 FT; LENGTH: 19 FT 9 IN WITH A/N: 374678	C71	D24		NH3: 10 PPMV (4) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002]	A195.1, D12.4, D12.5, D12.6, D28.4, E73.1, E179.1, E179.2, E193.1
AMMONIA INJECTION, GRID					

- | | |
|--|---|
| * (1)(1A)(1B) Denotes RECLAIM emission factor | (2)(2A)(2B) Denotes RECLAIM emission rate |
| (3) Denotes RECLAIM concentration limit | (4) Denotes BACT emission limit |
| (5)(5A)(5B) Denotes command and control emission limit | (6) Denotes air toxic control rule limit |
| (7) Denotes NSR applicability limit | (8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.) |
| (9) See App B for Emission Limits | (10) See Section J for NESHAP/MACT requirements |

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6 : EXTERNAL COMBUSTION, POWER GENERATION					
SELECTIVE CATALYTIC REDUCTION, NO. 1-B, HALDOR TOPSOE, WITH 794 CUBIC FEET OF CATALYST VOLUME, WIDTH: 5 FT; HEIGHT: 25 FT; LENGTH: 19 FT 9 IN WITH A/N: 374678 AMMONIA INJECTION, GRID	C73	D24		NH3: 10 PPMV (4) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002]	A195.1, D12.4, D12.5, D12.6, D28.4, E73.1, E179.1, E179.2, E193.1
BOILER, UNIT NO. 2, DIGESTER GAS, FUEL OIL NO. 6, NATURAL GAS, COMBUSTION ENGINEERING, 1,200,000 POUNDS OF STEAM PER HOUR, WITH OXYGEN CONTENT CONTROL, 1750 MMBTU/HR WITH A/N: 430937 GENERATOR, 179 MW	D20	S45 C75 C77	NOX: MAJOR SOURCE**	CO: 2000 PPMV (5A) [RULE 407,4-2-1982] ; CO: 500 PPMV (5) [RULE 1303(b)(2)-Offset,5-10-1996;RULE 1303(b)(2)-Offset,12-6-2002] NOX: 5 PPMV (3) [RULE 2009,5-11-2001] ; PM: 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981] ; SO2: (9) [40CFR 72 - Acid Rain Provisions,11-24-1997] SOX: 500 PPMV FUEL OIL (5) [RULE 407,4-2-1982]	A99.1, A195.3, B61.2, C1.5, C1.6, D28.2, D371.1, E193.1

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6 : EXTERNAL COMBUSTION, POWER GENERATION					
SELECTIVE CATALYTIC REDUCTION, NO. 2-A, HALDOR TOPSOE, WITH 794 CUBIC FEET OF TOTAL CATALYST VOLUME, WIDTH: 5 FT; HEIGHT: 25 FT; LENGTH: 19 FT 9 IN WITH A/N: 374679 AMMONIA INJECTION, GRID	C75	D20		NH3: 10 PPMV (4) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002]	A195.1, D12.4, D12.5, D12.6, D28.4, E73.1, E179.1, E179.2, E193.1
SELECTIVE CATALYTIC REDUCTION, NO. 2-B, HALDOR TOPSOE, WITH 794 CUBIC FEET OF TOTAL CATALYST VOLUME, WIDTH: 5 FT; HEIGHT: 25 FT; LENGTH: 19 FT 9 IN WITH A/N: 374679 AMMONIA INJECTION, GRID	C77	D20		NH3: 10 PPMV (4) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002]	A195.1, D12.4, D12.5, D12.6, D28.4, E179.1, E179.2, E193.1
BOILER, UNIT NO. 3, NATURAL GAS, COMBUSTION ENGINEERING, 3,131,100 POUNDS OF STEAM PER HOUR, SUPERCRITICAL, WITH STAGED COMBUSTION, FLUE GAS RECIRCULATION, OXYGEN CONTENT CONTROL, 4600 MMBTU/HR WITH A/N: 430939	D22	S46 C79	NOX: MAJOR SOURCE**	CO: 2000 PPMV (5) [RULE 407,4-2-1982] ; NOX: 5 PPMV (3) [RULE 2009,5-11-2001] ; NOX: 0.2 LBS/MMBTU NATURAL GAS (8) [40CFR 60 Subpart D,10-4-1991] PM: 0.1 GRAINS/SCF (5) [RULE 409,8-7-1981] ; PM: 0.1 LBS/MMBTU NATURAL GAS (8) [40CFR 60 Subpart D,10-4-1991] ; SO2: (9) [40CFR 72 - Acid Rain Provisions,11-24-1997]	A63.1, A195.4, E185.1, E193.1

* (1)(1A)(1B) Denotes RECLAIM emission factor (2)(2A)(2B) Denotes RECLAIM emission rate
(3) Denotes RECLAIM concentration limit (4) Denotes BACT emission limit
(5)(5A)(5B) Denotes command and control emission limit (6) Denotes air toxic control rule limit
(7) Denotes NSR applicability limit (8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)
(9) See App B for Emission Limits (10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 6 : EXTERNAL COMBUSTION, POWER GENERATION					
BURNER, NATURAL GAS, COMBUSTION ENGINEERING, FORTY EIGHT, WITH STAGED COMBUSTION, 4600 MMBTU/HR GENERATOR, 460 MW					
SELECTIVE CATALYTIC REDUCTION, CORMETECH, WITH 3317 CUBIC FEET OF TOTAL CATALYST VOLUME, WIDTH: 5 FT; HEIGHT: 41 FT; LENGTH: 65 FT 9 IN WITH A/N: 374680 AMMONIA INJECTION, GRID	C79	D22		NH3: 10 PPMV (4) [RULE 1303(a)(1)-BACT,5-10-1996;RULE 1303(a)(1)-BACT,12-6-2002]	A195.1, D12.4, D12.5, D12.6, D28.4, E73.2, E179.1, E179.2, E193.1
STACK, COMMON TO BOILER UNITS NO. 1 & 2 A/N: 430935	S45	D20 D24			
STACK, BOILER, UNIT NO. 3 A/N: 430939	S46	D22			
Process 8 : R-219 EXEMPT EQUIPMENT SUBJECT TO SOURCE-SPECIFIC RULES					
RULE 219 EXEMPT EQUIPMENT, COOLING TOWERS	E69				H23.5
RULE 219 EXEMPT EQUIPMENT, ABRASIVE BLASTING EQUIPMENT, GLOVE-BOX, < = 53 FT3, WITH DUST FILTER	E57			PM: (9) [RULE 1140.8-2- 1985;RULE 404,2-7-1986;RULE 405,2-7-1986]	D322.1, D381.2, K67.2

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 8 : R-219 EXEMPT EQUIPMENT SUBJECT TO SOURCE-SPECIFIC RULES					
RULE 219 EXEMPT EQUIPMENT, CLEANING EQUIPMENT, SMALL, UNHEATED, NON-CONVEYORIZED, COLD SOLVENT DEGREASERS	E58			ROG: (9) [RULE 1171,11-7-2003]	H23.4
RULE 219 EXEMPT EQUIPMENT, COATING EQUIPMENT, PORTABLE, ARCHITECTURAL COATINGS	E68			ROG: (9) [RULE 1113,11-8-1996;RULE 1113,7-13-2007;RULE 1171,11-7-2003;RULE 1171,7-14-2006]	K67.3
Process 9 : OIL/WATER SEPARATION					
STORAGE TANK, FIXED ROOF, LUBE OIL, EMERGENCY, 23000 GALS; DIAMETER: 15 FT; HEIGHT: 19 FT A/N: 194966	D59				H23.3
SUMP WITH A/N: 194966 PUMP	D60				H23.3
STORAGE TANK, LUBE OIL/WATER, SETTLING TANK FOR OIL/WATER & SOLIDS, 23000 GALS; DIAMETER: 15 FT; HEIGHT: 19 FT, A/N: 194966	D62				H23.3
STORAGE TANK, FIXED ROOF, LUBE OIL/WATER, RETENTION, 274 GALS; DIAMETER: 3 FT; HEIGHT: 5 FT 2 IN A/N: 194966	D63				H23.3

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 9 : OIL/WATER SEPARATION					
STORAGE TANK, FIXED ROOF, LUBE OIL/WATER, SKIMMER, 2658 GALS; DIAMETER: 7 FT 6 IN; HEIGHT: 8 FT 0.5 IN A/N: 194966	D64				H23.3
STORAGE TANK, FIXED ROOF, LUBE OIL/WATER, EXCELSIOR, 2805 GALS; WIDTH: 5 FT; HEIGHT: 7 FT 6 IN; LENGTH: 10 FT A/N: 194966	D65				H23.3
SUMP, RECLAIMED OIL WITH A/N: 194966 PUMP	D66				H23.3
Process 10 : AMMONIA STORAGE					
STORAGE TANK, NO. T-1, AQUEOUS AMMONIA 29% SOLUTION, WITH A VAPOR RETURN LINE AND PRV SET AT 25 PSIG, 30000 GALS A/N: 374681	D81	C84			C157.1, E144.1, E193.1
STORAGE TANK, NO. T-2, AQUEOUS AMMONIA 29% SOLUTION, WITH A VAPOR RETURN LINE AND PRV SET AT 25 PSIG, 30000 GALS A/N: 374682	D82	C84			C157.1, E144.1, E193.1
STORAGE TANK, NO. T-3, AQUEOUS AMMONIA 29% SOLUTION, WITH A VAPOR RETURN LINE AND PRV SET AT 25 PSIG, 30000 GALS A/N: 374683	D83	C84			C157.1, E144.1, E193.1

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS, etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 10 : AMMONIA STORAGE					
SCRUBBER, SERVING TANKS T-1, T-2, AND T-3, LENGTH: 4 FT; DIAMETER: 2 FT 2 IN A/N: 374681	C84	D81 D82 D83			E193.1
Process 11 : RULE 219 EXEMPT EQUIPMENT SUBJECT TO RULE 222 REPORTING					
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366415	C85			PM: (9) [RULE 404,2-7-1986;RULE 405,2-7-1986]	
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366416	C86			PM: (9) [RULE 404,2-7-1986;RULE 405,2-7-1986]	
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366417	C87			PM: (9) [RULE 404,2-7-1986;RULE 405,2-7-1986]	
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366418	C88			PM: (9) [RULE 404,2-7-1986;RULE 405,2-7-1986]	
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366419	C89			PM: (9) [RULE 404,2-7-1986;RULE 405,2-7-1986]	
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366420	C90			PM: (8B) [RULE 404,2-7-1986;RULE 405,2-7-1986]	
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366423	C91			PM: (9) [RULE 404,2-7-1986;RULE 405,2-7-1986]	
NEGATIVE AIR MACHINE/HEPA FILTER A/N: 366425	C92			PM: (9) [RULE 404,2-7-1986;RULE 405,2-7-1986]	

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit(e.g. NSPS, NESHAPS,etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

Equipment	ID No.	Connected To	RECLAIM Source Type/ Monitoring Unit	Emissions * And Requirements	Conditions
Process 12 : CARBON FILTRATION					
CARBON ADSORBER, SILOXANES REMOVAL FROM DIGESTER GAS, TANK DIA: 12FT, HT: 20FT 8IN A/N: 420874	D93				E440.1
CARBON ADSORBER, V-503, SILOXANES REMOVAL FROM DIGESTER GAS, TANK DIA: 7 FT; HEIGHT: 8 FT A/N: 413434	D94				E440.2
CARBON ADSORBER, V-504, SILOXANES REMOVAL FROM DIGESTER GAS, TANK DIA: 7 FT; HEIGHT: 8 FT A/N: 413435	D95				E440.2

* (1)(1A)(1B) Denotes RECLAIM emission factor

(3) Denotes RECLAIM concentration limit

(5)(5A)(5B) Denotes command and control emission limit

(7) Denotes NSR applicability limit

(9) See App B for Emission Limits

(2)(2A)(2B) Denotes RECLAIM emission rate

(4) Denotes BACT emission limit

(6) Denotes air toxic control rule limit

(8)(8A)(8B) Denotes 40 CFR limit (e.g. NSPS, NESHAPS, etc.)

(10) See Section J for NESHAP/MACT requirements

** Refer to Section F and G of this permit to determine the monitoring, recordkeeping and reporting requirements for this device.

**FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN**

SECTION D: DEVICE ID INDEX

**The following sub-section provides an index
to the devices that make up the facility
description sorted by device ID.**

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
D9	1	1	0
D10	1	2	0
D11	1	2	0
D12	2	2	0
D13	2	2	0
D14	2	2	0
D18	3	4	0
D19	3	5	0
D20	5	6	0
D22	6	6	0
D24	4	6	0
S45	7	6	0
S46	7	6	0
D50	3	4	0
C52	3	4	0
E57	7	8	0
E58	8	8	0
D59	8	9	0
D60	8	9	0
D62	8	9	0
D63	8	9	0
D64	9	9	0
D65	9	9	0
D66	9	9	0
E68	8	8	0
E69	7	8	0
C71	4	6	0
C73	5	6	0
C75	6	6	0
C77	6	6	0
C79	7	6	0
D81	9	10	0
D82	9	10	0
D83	9	10	0
C84	10	10	0
C85	10	11	0

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: DEVICE ID INDEX

Device Index For Section D			
Device ID	Section D Page No.	Process	System
C86	10	11	0
C87	10	11	0
C88	10	11	0
C89	10	11	0
C90	10	11	0
C91	10	11	0
C92	10	11	0
D93	11	12	0
D94	11	12	0
D95	11	12	0

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

FACILITY CONDITIONS

F9.1 Except for open abrasive blasting operations, the operator shall not discharge into the atmosphere from any single source of emissions whatsoever any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:

(a) As dark or darker in shade as that designated No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines; or

(b) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in subparagraph (a) of this condition.

[RULE 401, 3-2-1984; RULE 401, 11-9-2001]

F14.1 The operator shall not use fuel oil containing sulfur compounds in excess of 0.05 percent by weight.

The .05 percent sulfur limit shall not apply to existing supplies of any liquid fuel in storage as of October 1, 1993 until such supply is exhausted.

[RULE 431.2, 5-4-1990; RULE 431.2, 9-15-2000]

F14.2 The operator shall not purchase fuel oil containing sulfur compounds in excess of 15 ppm by weight as supplied by the supplier.

This condition shall become effective on or after June 1, 2004.

[RULE 431.2, 9-15-2000]

F16.1 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

purchase records of fuel oil and sulfur content of the fuel

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

F18.1 Acid Rain SO2 Allowance Allocation for affected units are as follows:

Device ID	Boiler ID	Contaminant	Tons in any year
24	Scattergood Unit No. 1	SO2	747
20	Scattergood Unit No. 2	SO2	654
22	Scattergood Unit No. 3	SO2	262

a). The allowance allocation(s) shall apply to calendar years 2000 through 2009.

b). The number of allowances allocated to Phase II affected units by U.S. EPA may change in a 1998 revision to 40CFR73 Tables 2,3, and 4. In addition, the number of allowances actually held by an affected source in a unit account may differ from the number allocated by U.S. EPA. Neither of the aforementioned conditions necessitate a revision to the unit SO2 allowance allocations identified in this permit (see 40 CFR 72.84)

[40CFR 73 Subpart B, 1-11-1993]

F24.1 Accidental release prevention requirements of Section 112(r)(7):

a). The operator shall comply with the accidental release prevention requirements pursuant to 40 CFR Part 68 and shall submit to the Executive Officer, as a part of an annual compliance certification, a statement that certifies compliance with all of the requirements of 40 CFR Part 68, including the registration and submission of a risk management plan (RMP).

b). The operator shall submit any additional relevant information requested by the Executive Officer or designated agency.

[40CFR 68 - Accidental Release Prevention, 5-24-1996]

DEVICE CONDITIONS

A. Emission Limits

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A63.1 The operator shall limit emissions from this equipment as follows:

CONTAMINANT	EMISSIONS LIMIT
Visible emissions	Less than or equal to 20 Percent opacity

[40CFR 60 Subpart D, 10-4-1991]

[Devices subject to this condition : D22]

A99.1 The 500 PPM CO emission limit(s) shall not apply when the boiler load is below 40 MW.

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D20, D24]

A195.1 The 10 PPMV NH₃ emission limit(s) is averaged over 60 mins at 3 percent O₂ dry. The operator shall calculate and continuously record the NH₃ slip concentration using the following: $NH_3(ppmv) = [a - (b * c / 1000000)] * 1000000 / b$, where $a = NH_3$ injection rate(lb/hr)/17(lb/lbmole), $b =$ dry exhaust gas flow rate(lb/hr)/29(lb/lbmole), and $c =$ change in measured NO_x across the SCR (ppmvd at stack O₂). The operator shall install and maintain a NO_x analyzer to measure the SCR inlet NO_x ppmv accurate to plus or minus 5 percent calibrated at least once every 12 months.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C71, C73, C75, C77, C79]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A195.3 The 5 PPMV NOX emission limit(s) is averaged over 720 operating hours (heat input weighted average).

The average shall be calculated based on emissions during all boiler operating hours except startups defined as whenever the unit is being brought up to normal operating temperature from an inactive status, and the exhaust temperature entering the SCR catalyst is less than 450 degrees F.

and shutdowns, defined as whenever the unit is allowed to cool from a normal operating temperature to inactive status, and the exhaust temperature entering the SCR catalyst is less than 450 degrees F, calibration, and maintenance periods, Part 75 linearity testing, RATA testing, equipment breakdown periods as defined in Rule 2004, and periods of zero fuel flow.

The heat input weighted average NOx concentration shall be calculated using the following equation, or other equivalent equation:

$PPMV(3\%O_2) = (Et/Qt) * K$; where $PPMV(3\%O_2)$ = the concentration of NOx in PPMV at 3% O2; K = a conversion factor from lbs/MMBtu to PPM, which can be determined using EPA 40 CFR60 Method 19. The default K value is 819; Et = Total reported NOx emissions during the averaging period including emissions reported as a result of missing data procedures pursuant to Rule 2012; Qt = Total heat input during the averaging period.

[RULE 2009, 1-7-2005]

[Devices subject to this condition : D20, D24]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

A195.4 The 5 PPMV NOX emission limit(s) is averaged over 720 operating hours (heat input weighted average).

The average shall be calculated based on emissions during all boiler operating hours except startups defined as whenever the unit is being brought up to normal operating temperature from an inactive status; and the exhaust temperature entering the SCR catalyst is less than 575 degrees F:

and shutdowns, defined as whenever the unit is allowed to cool from a normal operating temperature to inactive status, and the exhaust temperature entering the SCR catalyst is less 450 degrees F, calibration, and maintenance periods, Part 75 linearity testing, RATA testing, equipment breakdown periods as defined in Rule 2004, and periods of zero fuel flow.

The heat input weighted average NOx concentration shall be calculated using the following equation, or other equivalent equation:

$$\text{PPMV}(3\%O_2) = (Et/Qt) * K;$$
 where PPMV(3%O₂) = the concentration of NOx in PPMV at 3%O₂; K = a conversion factor from lbs/MMBtu to PPM, which can be determined using EPA 40 CFR60 Method 19. The default K value is 819; Et = Total reported NOx emissions during the averaging period including emissions reported as a result of missing data procedures pursuant to Rule 2012; Qt = Total heat input during the averaging period.

[RULE 2009, 1-7-2005]

[Devices subject to this condition : D22]

B. Material/Fuel Type Limits

B59.1 The operator shall not use the following material(s) in this device :

Silica-type abrasives

[RULE 1303(b)(2)-Offset, 5-10-1996; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D50]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

B59.2 The operator shall only use the following material(s) in this device :

Diesel fuel which meets the specifications of Rule 431.2

[RULE 431.2, 5-4-1990; RULE 431.2, 9-15-2000]

[Devices subject to this condition : D19]

B61.2 The operator shall not use digester gas containing the following specified compounds:

Compound	ppm by volume
Sulfur compounds calculated as H2S greater than	40
Sulfur compounds calculated as H2S greater than	500

The operator shall meet a daily average limit of 40 ppm OR meet a monthly average limit of 40 ppm AND a 15 minute average limit of 500 ppm.

[RULE 431.1, 6-12-1998]

[Devices subject to this condition : D20, D24]

C. Throughput or Operating Parameter Limits

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- C1.3 The operator shall limit the operating time to no more than 200 hour(s) in any one year.

The 200 hours per year shall include no more than 20 hours in any one year for maintenance and testing purposes.

The operation of the engine beyond the 20 hr/yr allotted for engine maintenance and testing shall be allowed only in the event of a loss of grid power or up to 30 minutes prior to a rotating outage, provided that the grid operator or electric utility has ordered rotating outages in the control area where the engine is located or has indicated that it expects to issue such an order at a certain time, and the engine is located in a utility service block that is subject to the rotating outage.

Engine operation shall be terminated immediately after the utility distribution company advises that a rotating outage is no longer imminent or in effect.

[RULE 1110.2, 2-1-2008; **RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996**; RULE 1470, 6-1-2007; **RULE 2012, 5-6-2005**]

[Devices subject to this condition : D19]

- C1.5 The operator shall limit the fuel usage to no more than 688000 cubic feet per hour.

For the purpose of this condition, fuel usage shall be defined as the burning of digester gas.

This limit shall be based on the total combined limit for equipment D20 and D24.

[**RULE 1303(b)(2)-Offset, 5-10-1996**; RULE 1303(b)(2)-Offset, 12-6-2002]

[Devices subject to this condition : D20, D24]

- C1.6 The operator shall limit the operating time to no more than 4.5 hour(s) in any one day.

The purpose(s) of this condition is to insure that there is no increase in PM10 emissions requiring BACT. This condition shall only apply when the equipment is firing fuel oil. This condition shall not apply during a Force Majeure Natural Gas Curtailment as defined in Rule 1135.

[**RULE 1303(a)(1)-BACT, 5-10-1996**; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D20]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

C1.7 The operator shall limit the operating time to no more than 2 hour(s) in any one day.

The purpose(s) of this condition is to insure that there is no increase in PM10 emissions requiring BACT. This condition shall only apply when the equipment is firing fuel oil. This condition shall not apply during a Force Majeure Natural Gas Curtailment as defined in Rule 1135.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D24]

C157.1 The operator shall install and maintain a pressure relief valve set at 25 psig.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D81, D82, D83]

D. Monitoring/Testing Requirements

D12.2 The operator shall install and maintain a(n) differential pressure gauge to accurately indicate the differential pressure across the bags in units of inches of water.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C52]

D12.3 The operator shall install and maintain a(n) non-resettable elapsed time meter to accurately indicate the elapsed operating time of the engine.

[RULE 2012, 5-6-2005]

[Devices subject to this condition : D19]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- D12.4 The operator shall install and maintain a(n) temperature gauge to accurately indicate the temperature at the inlet to the SCR reactor.

The operator shall also install and maintain a device to continuously record the parameter being measured.

The measuring device or gauge shall be accurate to within plus or minus 5 percent. It shall be calibrated once every 12 months.

For C71 and C73, the operator shall maintain the temperature between 360 and 756 degrees F except during start ups and shutdowns

For C75 and C77, the operator shall maintain the temperature between 405 and 743 degrees F except during start ups and shutdowns

For C79, the operator shall maintain the temperature between 310 and 754 degrees F except during start ups and shutdowns

[RULE 2012, 12-5-2003]

[Devices subject to this condition : C71, C73, C75, C77, C79]

- D12.5 The operator shall install and maintain a(n) flow meter to accurately indicate the flow rate of the total hourly throughput of injected ammonia.

The operator shall also install and maintain a device to continuously record the parameter being measured.

The measuring device or gauge shall be accurate to within plus or minus 5 percent. It shall be calibrated once every 12 months.

For C71 and C73, the operator shall maintain the ammonia injection rate between 0.09 and 1.18 lbs/hr except during start ups and shutdowns

For C75 and C77, the operator shall maintain the ammonia injection rate between 0.09 and 1.07 lbs/hr except during start ups and shutdowns

For C79, the operator shall maintain the ammonia injection rate between 0.04 and 1.93 lbs/hr except during start ups and shutdowns

[RULE 2012, 12-5-2003]

[Devices subject to this condition : C71, C73, C75, C77, C79]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- D12.6 The operator shall install and maintain a(n) pressure gauge to accurately indicate the pressure across the SCR catalyst bed in inched water column.

The operator shall also install and maintain a device to continuously record the parameter being measured.

The measuring device or gauge shall be accurate to within plus or minus 5 percent. It shall be calibrated once every 12 months.

For C71 and C73, the operator shall maintain the differential pressure between 0.36 and 5.83 inches of water except during start ups and shutdowns

For C75 and C77, the operator shall maintain the differential pressure between 0.18 and 1.54 lbs/hr except during start ups and shutdowns

For C79, the operator shall maintain the differential pressure between 0.27 and 1.87 lbs/hr except during start ups and shutdowns

[RULE 2012, 12-5-2003; RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C71, C73, C75, C77, C79]

- D28.2 The operator shall conduct source test(s) in accordance with the following specifications:

The test shall be conducted at least annually.

The test shall be conducted to determine the CO emissions at the outlet.

The test shall be conducted to demonstrate compliance with Rule 1303 concentration limit.

The test shall be conducted when the equipment is operating under normal conditions. No test shall be required in any one year for which the equipment is not in operation.

The test shall be conducted to determine compliance with the CO emissions by either: (a) conducting a source test using District method 100.1 measured over a 30 minute averaging time, or (b) using a portable analyzer and a District-approved test method.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D20, D24]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D28.4 The operator shall conduct source test(s) in accordance with the following specifications:

The test shall be conducted at least quarterly during the first 12 months of operation of the SCR, and at least annually thereafter.

The test shall be conducted to determine the NH₃ emissions at the outlet using District method 207.1 measured over a 60 minute averaging time period. The NO_x concentration, as determined by the CEMS, shall be simultaneously recorded during the ammonia slip test. If the CEMS is inoperable, a test shall be conducted to determine the NO_x emissions using District method 100.1.

The test shall be conducted to demonstrate compliance with the Rule 1303 concentration limit.

The test shall be conducted when the equipment is operating at 80 percent load or greater.

The test shall be conducted and the results submitted to the District within 45 days after the test date.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : C71, C73, C75, C77, C79]

D322.1 The operator shall perform annual inspection of the equipment and filter media for leaks, broken or torn filter media, and improperly installed filter media.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C52, E57]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D323.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a semi-annual basis, at least, unless the equipment did not operate during the entire semi-annual period. The routine semi-annual inspection shall be conducted while the equipment is in operation and during daylight hours.

If any visible emissions (not including condensed water vapor) are detected that last more than three minutes in any one hour, the operator shall verify and certify within 24 hours that the equipment causing the emission and any associated air pollution control equipment are operating normally according to their design and standard procedures and under the same conditions under which compliance was achieved in the past, and either:

- 1). Take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit; or
- 2). Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three business days and report any deviations to AQMD.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions;
- 3). Date and time visible emission was abated; and
- 4). All visible emission observation records by operator or a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D18]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

D371.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever this equipment has combusted one million gallons of fuel oil, to be counted cumulatively over a five year period. The inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall:

Have a CARB-certified smoke reader determine compliance with the opacity standard, using EPA Method 9 or the procedures in the CARB manual "Visible Emission Evaluation", within three working days (or during the next fuel oil firing period if the unit ceases firing on fuel oil within the three working day time frame) and report any deviations to AQMD.

In addition, the operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- a). Stack or emission point identification;
- b). Description of any corrective actions taken to abate visible emissions;
- c). Date and time visible emission was abated; and
- d). Visible emission observation record by a certified smoke reader.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : D20, D24]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- D381.1 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on a quarterly basis, at least, unless the equipment did not operate during the entire quarterly period. The routine quarterly inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C52]

- D381.2 The operator shall conduct an inspection for visible emissions from all stacks and other emission points of this equipment whenever there is a public complaint of visible emissions, whenever visible emissions are observed, and on an annual basis, at least, unless the equipment did not operate during the entire annual period. The routine annual inspection shall be conducted while the equipment is in operation and during daylight hours. If any visible emissions (not including condensed water vapor) are detected, the operator shall take corrective action(s) that eliminates the visible emissions within 24 hours and report the visible emissions as a potential deviation in accordance with the reporting requirements in Section K of this permit.

The operator shall keep the records in accordance with the recordkeeping requirements in Section K of this permit and the following records:

- 1). Stack or emission point identification;
- 2). Description of any corrective actions taken to abate visible emissions; and
- 3). Date and time visible emission was abated.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E57]

E. Equipment Operation/Construction Requirements

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

- E73.1 Notwithstanding the requirements of Section E conditions, the operator may, at his discretion, choose not to use ammonia injection if any of the following requirement(s) are met:

the inlet exhaust temperature to the SCR reactor is 450 degrees F or less

Within 30 days after initial start up of the SCR system, not to exceed June 1, 2001 for Boilers 2 and 3 (Devices D20 and D22) or January 1, 2002 for Boiler 1 (Device D24). The operator shall provide written notification of the start up date.

[RULE 2012, 12-5-2003]

[Devices subject to this condition : C71, C73, C75]

- E73.2 Notwithstanding the requirements of Section E conditions, the operator may, at his discretion, choose not to use ammonia injection if any of the following requirement(s) are met:

the inlet exhaust temperature to the SCR reactor is 575 degrees F or less

Within 30 days after initial start up of the SCR system, not to exceed June 1, 2001 for Boilers 2 and 3 (Devices D20 and D22) or January 1, 2002 for Boiler 1 (Device D24). The operator shall provide written notification of the start up date.

[RULE 2012, 12-5-2003]

[Devices subject to this condition : C79]

- E102.1 The operator shall discharge dust collected in this equipment only into closed containers.

[RULE 401, 3-2-1984; RULE 401, 11-9-2001]

[Devices subject to this condition : C52]

- E116.1 This engine shall not be used as part of a demand response program using interruptible service contract in which a facility receives a payment or reduced rates in return for reducing its electric load on the grid when requested to do so by the utility or the grid operator.

[RULE 1470, 6-1-2007]

[Devices subject to this condition : D19]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E144.1 The operator shall vent this equipment, during filling, only to the vessel from which it is being filled.

[RULE 1303(a)(1)-BACT, 5-10-1996; RULE 1303(a)(1)-BACT, 12-6-2002]

[Devices subject to this condition : D81, D82, D83]

E162.1 The operator shall use this equipment only during utility failure periods, except for maintenance purposes.

[RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996]

[Devices subject to this condition : D19]

E179.1 For the purpose of the following condition number(s), continuously record shall be defined as recording at least once every hour and shall be calculated based upon the average of the continuous monitoring for that hour.

Condition Number D 12- 4

Condition Number D 12- 5

[RULE 2012, 12-5-2003]

[Devices subject to this condition : C71, C73, C75, C77, C79]

E179.2 For the purpose of the following condition number(s), continuously record shall be defined as recording at least once every month and shall be calculated based upon the average of the continuous monitoring for that month.

Condition Number D 12- 6

[RULE 2012, 12-5-2003]

[Devices subject to this condition : C71, C73, C75, C77, C79]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E185.1 The requirements of the rule 40CFR Part 60 Subpart D identified under condition number(s) listed below may be substituted with the following alternate requirements:

Condition Number A 63- 1

Alternate requirement 1: The operator shall not discharge into the atmosphere visible emissions greater than 27 percent opacity for one six-minute period per hour.

[40CFR 60 Subpart D, 10-4-1991]

[Devices subject to this condition : D22]

E193.1 The operator shall construct, operate, and maintain this equipment according to the following specifications:

In compliance with all mitigation measures as stipulated in the Environmental Impact Report (SCH No. 2000101008) dated November, 2000 pertaining to the Scattergood SCR project

In compliance with Stipulated order for Abatement Case No. 1263-44 dated 8-29-2000 between the South Coast AQMD and the City of Los Angeles, DWP. In accordance with the Order, LADWP shall have in operation SCR on Boilers 2 and 3 by 6-1-01 and on Boiler 1 by 1-1-02.

The schedule for installation of APC equipment shall be done in consultation with the California Energy Commission (CEC) and the California Independent System Operator (CISO) to ensure that compliance with air pollution laws and requirements can be achieved with no significant power interruption.

For facilities operating under an Order of Abatement or a Settlement Agreement, in the event the specified schedule of installation of APC equipment under these agreements cannot be met, the operator must seek amendment of the Order of Abatement or Settlement Agreement at SCAQMD discretion.

[RULE 802, 8-1-1975; CA PRC CEQA, 11-23-1970]

[Devices subject to this condition : D20, D22, D24, C71, C73, C75, C77, C79, D81, D82, D83, C84]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E262.1 The operator shall, in addition to the requirement(s) of condition(s) listed below, comply with the requirement(s) listed below.

Condition Number E 162- 1

The operator may, in addition to the above requirements, use this equipment for purposes of fuel oil readiness testing

[RULE 1304(a)-Modeling and Offset Exemption, 6-14-1996]

[Devices subject to this condition : D19]

E440.1 The operator shall operate and maintain this equipment according to the following specifications:

During the carbon change out operation, the spent carbon shall be removed from the canister with the use of a vacuum device vented through a cyclone and/or fabric filter and then dropped from the cyclone and/or fabric filter into the shipping bags with the use of a chute to minimize carbon particle release

During the process of loading fresh carbon into the canister, the operator shall use a vacuum device vented to a cyclone and/or fabric filter and connected with a hose to the cannister flange located near the bottom of the canister to minimize carbon particle release

The operator shall limit the carbon change out operation to twice per month

[RULE 401, 3-2-1984; RULE 401, 11-9-2001; RULE 402, 5-7-1976]

[Devices subject to this condition : D93]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

E440.2 The operator shall operate and maintain this equipment according to the following specifications:

During the carbon change out operation, the spent carbon shall be removed from the canister with the use of a vacuum device vented through a cyclone and/or fabric filter and then dropped from the cyclone and/or fabric filter into the shipping bags with the use of a chute to minimize carbon particle release

During the process of loading fresh carbon into the canister, the operator shall use a vacuum device, vented to a cyclone and/or fabric filter, around the canister opening to minimize carbon particle release

The operator shall limit the carbon change out operation to one time per week for each canister

[RULE 401, 3-2-1984; RULE 402, 5-7-1976]

[Devices subject to this condition : D94, D95]

H. Applicable Rules

H23.1 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	463

[RULE 463, 5-6-2005]

[Devices subject to this condition : D10, D11, D12, D13, D14]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.3 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	464

[RULE 464, 12-7-1990]

[Devices subject to this condition : D59, D60, D62, D63, D64, D65, D66]

H23.4 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
VOC	District Rule	1122

[RULE 1122, 10-1-2004]

[Devices subject to this condition : E58]

H23.5 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
Chromium, Hexavalent	District Rule	1404

[RULE 1404, 4-6-1990]

[Devices subject to this condition : E69]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

H23.6 This equipment is subject to the applicable requirements of the following rules or regulations:

Contaminant	Rule	Rule/Subpart
PM10	District Rule	1470

[RULE 1470, 6-1-2007]

[Devices subject to this condition : D19]

K. Record Keeping/Reporting

K67.2 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

the name of the person performing the inspection and/or maintenance of the dust collector

the date, time and results of the inspection

the date, time and description of any maintenance or repairs resulting from the inspection

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : C52, E57]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION D: FACILITY DESCRIPTION AND EQUIPMENT SPECIFIC CONDITIONS

The operator shall comply with the terms and conditions set forth below:

K67.3 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

For architectural applications where no thinners, reducers, or other VOC containing materials are added, maintain semi-annual records for all coating consisting of (a) coating type, (b) VOC content as supplied in grams per liter (g/l) of materials for low-solids coatings, (c) VOC content as supplied in g/l of coating, less water and exempt solvent, for other coatings.

For architectural applications where *thinners*, reducers, or other VOC containing materials are added, maintain daily records for each coating consisting of (a) coating type, (b) VOC content as applied in grams per liter (g/l) of materials used for low-solids coatings, (c) VOC content as applied in g/l of coating, less water and exempt solvent, for other coatings.

[RULE 3004(a)(4)-Periodic Monitoring, 12-12-1997]

[Devices subject to this condition : E68]

K67.4 The operator shall keep records, in a manner approved by the District, for the following parameter(s) or item(s):

An engine operating log listing on a monthly basis the emergency use hours of operation, maintenance and testing hours of operation, and any other hours of use with a description of the reason for operation. Additionally, each time the engine is started manually, the log shall include the date of operation and the timer reading in hours at the beginning and end of operation

The log shall be kept for a minimum of three calendar years prior to the current year and be made available to District personnel upon request. The total hours of operation for the previous calendar year shall be recorded sometime during the first 15 days of January of each year.

[RULE 1110.2, 2-1-2008; RULE 1470, 6-1-2007]

[Devices subject to this condition : D19]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION E: ADMINISTRATIVE CONDITIONS

The operating conditions in this section shall apply to all permitted equipment at this facility unless superseded by condition(s) listed elsewhere in this permit.

1. The permit shall remain effective unless this permit is suspended, revoked, modified, reissued, denied, or it is expired for nonpayment of permit processing or annual operating fees. [201, 203, 209, 301]
 - a. The permit must be renewed annually by paying annual operating fees, and the permit shall expire if annual operating fees are not paid pursuant to requirements of Rule 301(d). [301(d)]
 - b. The Permit to Construct listed in Section H shall expire one year from the Permit to Construct issuance date, unless a Permit to Construct extension has been granted by the Executive Officer or unless the equipment has been constructed and the operator has notified the Executive Officer prior to the operation of the equipment, in which case the Permit to Construct serves as a temporary Permit to Operate. [202, 205]
 - c. The Title V permit shall expire as specified under Section K of the Title V permit. The permit expiration date of the Title V facility permit does not supercede the requirements of Rule 205. [205, 3004]
2. The operator shall maintain all equipment in such a manner that ensures proper operation of the equipment. [204]
3. This permit does not authorize the emissions of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules and Regulations of the AQMD. This permit cannot be considered as permission to violate existing laws, ordinances, regulations, or statutes of other governmental agencies. [204]
4. The operator shall not use equipment identified in this facility permit as being connected to air pollution control equipment unless they are so vented to the identified air pollution control equipment which is in full use and which has been included in this permit. [204]
5. The operator shall not use any equipment having air pollution control device(s) incorporated within the equipment unless the air pollution control device is in full operation. [204]
6. The operator shall maintain records to demonstrate compliance with rules or permit conditions that limit equipment operating parameters, or the type or quantity of material processed. These records shall be made available to AQMD personnel upon request and be maintained for at least: [204]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION E: ADMINISTRATIVE CONDITIONS

- a. Three years for a facility not subject to Title V; or
 - b. Five years for a facility subject to Title V.
7. The operator shall maintain and operate all equipment to ensure compliance with all emission limits as specified in this facility permit. Compliance with emission limits shall be determined according to the following specifications, unless otherwise specified by AQMD rules or permit conditions: [204]
- a. For internal combustion engines and gas turbines, measured concentrations shall be corrected to 15 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1110.2, 1134, 204]
 - b. For other combustion devices, measured concentrations shall be corrected to 3 percent stack-gas oxygen content on a dry basis and be averaged over a period of 15 consecutive minutes; [1146, 1146.1, 204]
 - c. For a large NO_x source, compliance with a RECLAIM concentration limit shall be measured over a continuous 60 minutes for that source; [2012]
 - d. For non-combustion sources, compliance with emission limits shall be determined and averaged over a period of 60 minutes; [204]
 - e. For the purpose of determining compliance with Rule 407, carbon monoxide (CO) shall be measured on a dry basis and be averaged over 15 consecutive minutes, and sulfur compounds which would exist as liquid or gas at standard conditions shall be calculated as sulfur dioxide (SO₂) and be averaged over 15 consecutive minutes; [407]
 - f. For the purpose of determining compliance with Rule 409, combustion contaminant emission measurements shall be corrected to 12 percent of carbon dioxide (CO₂) at standard conditions and averaged over 15 consecutive minutes. [409]
 - g. For the purpose of determining compliance with Rule 475, combustion contaminant emission measurements shall be corrected to 3 percent of oxygen (O₂) at standard conditions and averaged over 15 consecutive minutes or any other averaging time specified by the Executive Officer. [475]
8. All equipment operating under the RECLAIM program shall comply concurrently with all provisions of AQMD Rules and Regulations, except those listed in Table 1 of Rule 2001 for NO_x RECLAIM sources and Table 2 of Rule 2001 for SO_x RECLAIM sources. Those provisions listed in Tables 1 or 2 shall not apply to NO_x or SO_x emissions after the date the facility has demonstrated compliance with all monitoring and reporting requirements of Rules 2011 or 2012, as applicable. Provisions of the listed AQMD rules in Tables 1 or 2 which have initial implementation dates in 1994 shall not apply to a RECLAIM NO_x or SO_x source, respectively. [2001]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION E: ADMINISTRATIVE CONDITIONS

9. The operator shall, when a source test is required by AQMD, provide a source test protocol to AQMD no later than 60 days before the proposed test date. The test shall not commence until the protocol is approved by AQMD. The test protocol shall contain the following information: [204, 304]
 - a. Brief description of the equipment tested.
 - b. Brief process description, including maximum and normal operating temperatures, pressures, through-put, etc.
 - c. Operating conditions under which the test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Brief description of sampling and analytical methods used to measure each pollutant, temperature, flow rates, and moisture.
 - f. Description of calibration and quality assurance procedures.
 - g. Determination that the testing laboratory qualifies as an "independent testing laboratory" under Rule 304 (no conflict of interest).
10. The operator shall submit a report no later than 60 days after conducting a source test, unless otherwise required by AQMD Rules or equipment-specific conditions. The report shall contain the following information: [204]
 - a. The results of the source test.
 - b. Brief description of the equipment tested.
 - c. Operating conditions under which test will be performed.
 - d. Method of measuring operating parameters, such as fuel rate and process weight. Process schematic diagram showing the ports and sampling locations, including the dimensions of the ducts/stacks at the sampling locations, and distances of flow disturbances, (e.g. elbows, tees, fans, dampers) from the sampling locations (upstream and downstream).
 - e. Field and laboratory data forms, strip charts and analyses.
 - f. Calculations for volumetric flow rates, emission rates, control efficiency, and overall control efficiency.
11. The operator shall, when a source test is required, provide and maintain facilities for sampling and testing. These facilities shall comply with the requirements of AQMD Source Test Method 1.1 and 1.2. [217]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION E: ADMINISTRATIVE CONDITIONS

12. Whenever required to submit a written report, notification or other submittal to the Executive Officer, AQMD, or the District, the operator shall mail or deliver the material to: Deputy Executive Officer, Engineering and Compliance, AQMD, 21865 E. Copley Drive, Diamond Bar, CA 91765-4182.
[204]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

The Facility shall comply with all applicable monitoring and source testing requirements in Regulation XX. These requirements may include but are not limited to the following:

I. NOx Monitoring Conditions

A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate an AQMD certified direct or time-shared monitoring device or an approved alternative monitoring device for each major NOx source to continuously measure the concentration of NOx emissions and all other applicable variables specified in Rule 2012, Table 2012-1 and Rule 2012, Appendix A, Table 2-A to determine the NOx emissions rate from each source. The time-sharing of CEMS among NOx sources may be allowed by the Executive Officer in accordance with the requirements for time sharing specified in Appendix A. [2012]
2. Install, maintain, and operate a totalizing fuel meter approved by the Executive Officer for each major source. [2012]
3. If the facility is operating existing CEMS and fuel meters, continue to follow recording and reporting procedures required by AQMD Rules and Regulations in effect prior to October 15, 1993 until the CEMS is certified pursuant to Rule 2012. [2012]
4. Use valid data collected by an AQMD certified or provisionally certified CEMS in proper operation that meets all the requirements of Appendix A of Rule 2012, unless final certification of the CEMS is denied, to determine mass emissions for all purposes, including, but not limited to, determining: [2012]
 - a. compliance with the annual Allocation;
 - b. excess emissions;
 - c. the amount of penalties; and
 - d. fees.
5. Follow missing data procedures as specified in Rule 2012 Appendix A whenever valid data is not available or collected to determine mass emissions for all purposes, including, but not limited to, determining: [2012]
 - a. compliance with the annual Allocation;
 - b. excess emissions;
 - c. the amount of penalties; and
 - d. fees.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION F: RECLAIM MONITORING AND SOURCE TESTING REQUIREMENTS

B. The Operator of a NOx Large Source, as defined in Rule 2012, shall, as applicable:

Not Applicable

C. The Operator of a NOx Process Unit, as defined in Rule 2012, shall, as applicable:

1. Install, maintain, and operate a totalizing fuel meter or any device approved by the Executive Officer to measure quarterly fuel usage or other applicable variables specified in Rule 2012, Table 2012-1, and Rule 2012, Appendix A, Table 4-A. The sharing of totalizing fuel meters may be allowed by the Executive Officer if the fuel meter serves process units which have the same emission factor or emission rate. The sharing of totalizing meter shall not be allowed for process units which are required to comply with an annual heat input limit. [2012]

II. NOx Source Testing and Tune-up Conditions

1. The operator shall conduct all required NOx source testing in compliance with an AQMD-approved source test protocol. [2012]
2. The operator shall, as applicable, conduct source tests for every large NOx source no later than December 31, 1996 and every 3 years thereafter. The source test shall include the determination of NOx concentration and a relative accuracy audit of the exhaust stack flow determination (e.g. in-stack flow monitor or fuel flow monitor based F-factor calculation). Such source test results shall be submitted per the schedule described by APEP. In lieu of submitting the first source test report, the facility permit holder may submit the results of a source test not more than 3 years old which meets the requirements when conducted. [2012]
3. All NOx large sources and NOx process units shall be tuned-up in accordance with the schedule specified in Rule 2012, Appendix A, Chapter 5, Table 5-B. [2012]
4. Process Unit source testing

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR RECLAIM SOURCES

The Facility shall comply with all applicable reporting and recordkeeping requirements in Regulation XX. These requirements may include but are not limited to the following:

I. Recordkeeping Requirements for all RECLAIM Sources

1. The operator shall maintain all monitoring data required to be measured or reported pursuant to Rule 2011 and Rule 2012, whichever is applicable. All records shall be made available to AQMD staff upon request and be maintained for at least:
 - a. Three years after each APEP report is submitted to AQMD for a facility not subject to Title V, unless a different time period is required in Rule 2011 or Rule 2012 [2011 & 2012]; or
 - b. Five years after each APEP report is submitted to AQMD for a facility subject to Title V. [3004(a)(4)(E)]
 - c. Notwithstanding the above, all data gathered or computed for intervals of less than 15 minutes shall only be maintained a minimum of 48 hours. [2011 & 2012]
2. The operator shall store on site and make available to the Executive Officer upon request: records used to determine emissions, maintenance records, sources test reports, relative accuracy test audit reports, relative accuracy audit reports and fuel meter calibration records. [2011 & 2012]

II. Reporting Requirements for all RECLAIM Sources

1. The operator shall submit a quarterly certification of emissions including the facility's total NOx or SOx emissions, whichever is applicable, for the quarter within 30 days after the end of the first three quarters and 60 days after the end of the fourth quarter of a compliance year. [2011 & 2012]

NOx Reporting Requirements

- A. The Operator of a NOx Major Source, as defined in Rule 2012, shall, as applicable:
 1. No later than 12 months after entry into the RECLAIM program or after the initial operation of a new major source, whichever is later, install, maintain, and operate a reporting device to electronically report everyday to the AQMD central station for each major NOx source, the total daily mass emissions of NOx and daily status codes. Such data

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION G: RECORDKEEPING AND REPORTING REQUIREMENTS FOR RECLAIM SOURCES

shall be transmitted by 5:00 p.m. of the following day. If the facility experiences a power, computer, or other system failure that prevents the submittal of the daily report, the Facility Permit holder shall be granted 24 hours extension to submit the report. [2012]

2. Calculate NOx emissions pursuant to missing data procedures set forth in Appendix A, Chapter 2 of Rule 2012 if the Facility Permit holder fails to meet the deadline for submitting the daily report. [2012]
 3. Submit an electronic report within 15 days following the end of each month totaling NOx emissions from all major NOx sources during the month. [2012]
 4. For those facilities with existing CEMS and fuel meters as of October 15, 1993, continue to follow recording and reporting procedures required by AQMD Rules and Regulations in effect until the CEMS is certified pursuant to Rule 2011 and/or Rule 2012, as applicable. [2012]
- B. The Operator of a NOx Large Source, as defined in Rule 2012, shall:
- Not Applicable
- C. The Operator of a NOx Process Unit, as defined in Rule 2012, shall:
1. Electronically report the calculated quarterly NOx emissions for each NOx process unit. The Operator shall comply with this requirement within 12 months of the date of entry to the RECLAIM Program. [2012]

**FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN**

SECTION H: PERMIT TO CONSTRUCT AND TEMPORARY PERMIT TO OPERATE

NONE

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION I: PLANS AND SCHEDULES

This section lists all plans approved by AQMD for the purposes of meeting the requirements of applicable AQMD rules specified below. The operator shall comply with all conditions specified in the approval of these plans, with the following exceptions:

- a. The operator does not have to comply with NO_x or SO_x emission limits from rules identified in Table 1 or Table 2 of Rule 2001(j) which become effective after December 31, 1993.
- b. The operator does not have to comply with NO_x or SO_x emission limits from rules identified in Table 1 or Table 2 of Rule 2001(j) after the facility has received final certification of all monitoring and reporting requirements specified in Section F and Section G.

Documents pertaining to the plan applications listed below are available for public review at AQMD Headquarters. Any changes to plan applications will require permit modification in accordance with Title V permit revision procedures.

List of approved plans:

Application	Rule
212508	1404

NOTE: This section does not list compliance schedules pursuant to the requirements of Regulation XXX - Title V Permits; Rule 3004(a)(10)(C). For equipment subject to a variance, order for abatement, or alternative operating condition granted pursuant to Rule 518.2, equipment specific conditions are added to the equipment in Section D or H of the permit.

**FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN**

SECTION J: AIR TOXICS

NOT APPLICABLE

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

GENERAL PROVISIONS

1. This permit may be revised, revoked, reopened and reissued, or terminated for cause, or for failure to comply with regulatory requirements, permit terms, or conditions. [3004(a)(7)(C)]
2. This permit does not convey any property rights of any sort or any exclusive privilege. [3004(a)(7)(E)]

Permit Renewal and Expiration

3. (A) Except for solid waste incineration facilities subject to standards under Section 129(e) of the Clean Air Act, this permit shall expire five years from the date that the initial Title V permit is issued. The operator's right to operate under this permit terminates at midnight on this date, unless the facility is protected by an application shield in accordance with Rule 3002(b), due to the filing of a timely and complete application for a Title V permit renewal, consistent with Rule 3003. [3004(a)(2), 3004(f)]
- (B) A Title V permit for a solid waste incineration facility combusting municipal waste subject to standards under Section 129(e) of the Clean Air Act shall expire 12 years from the date of issuance unless such permit has been renewed pursuant to this regulation. These permits shall be reviewed by the Executive Officer at least every five years from the date of issuance. [3004(f)(2)]
4. To renew this permit, the operator shall submit to the Executive Officer an application for renewal at least 180 days, but not more than 545 days, prior to the expiration date of this permit. [3003(a)(6)]

Duty to Provide Information

5. The applicant for, or holder of, a Title V permit shall furnish, pursuant to Rule 3002(d) and (e), timely information and records to the Executive Officer or designee within a reasonable time as specified in writing by the Executive Officer or designee. [3004(a)(7)(F)]

Payment of Fees

6. The operator shall pay all required fees specified in Regulation III - Fees. [3004(a)(7)(G)]

Reopening for Cause

7. The Executive Officer will reopen and revise this permit if any of the following circumstances occur:
 - (A) Additional regulatory requirements become applicable with a remaining permit term of three or more years. Reopening is not required if the effective date of the requirement is later than the expiration date of this permit, unless the permit or any of its terms and conditions has been extended pursuant to paragraph (f)(4) of Rule 3004.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

- (B) The Executive Officer or EPA Administrator determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.
- (C) The Executive Officer or EPA Administrator determines that the permit must be revised or revoked to assure compliance with the applicable requirements. [3005(g)(1)]

COMPLIANCE PROVISIONS

- 8. The operator shall comply with all regulatory requirements, and all permit terms and conditions, except:
 - (A) As provided for by the emergency provisions of condition no. 17 or condition no. 18, or
 - (B) As provided by an alternative operating condition granted pursuant to a federally approved (SIP-approved) Rule 518.2.

Any non-compliance with any federally enforceable permit condition constitutes a violation of the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or denial of a permit renewal application. Non-compliance may also be grounds for civil or criminal penalties under the California State Health and Safety Code. [3004(a)(7)(A)]
- 9. The operator shall allow the Executive Officer or authorized representative, upon presentation of appropriate credentials to:
 - (A) Enter the operator's premises where emission-related activities are conducted, or records are kept under the conditions of this permit;
 - (B) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
 - (C) Inspect at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - (D) Sample or monitor at reasonable times, substances or parameters for the purpose of assuring compliance with the facility permit or regulatory requirements. [3004(a)(10)(B)]
- 10. All terms and conditions in this permit, including any provisions designed to limit a facility's potential to emit, are enforceable by the EPA Administrator and citizens under the federal Clean Air Act, unless the term or condition is designated as not federally enforceable. Each day during any portion of which a violation occurs is a separate offense. [3004(g)]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

11. A challenge to any permit condition or requirement raised by EPA, the operator, or any other person, shall not invalidate or otherwise affect the remaining portions of this permit. [3007(b)]
12. The filing of any application for a permit revision, revocation, or termination, or a notification of planned changes or anticipated non-compliance does not stay any permit condition. [3004(a)(7)(D)]
13. It shall not be a defense for a person in an enforcement action, including those listed in Rule 3002(c)(2), that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit, except as provided for in "Emergency Provisions" of this section. [3004(a)(7)(H)]
14. The operator shall not build, erect, install, or use any equipment, the use of which, without resulting in a reduction in the total release of air contaminants to atmosphere, reduces or conceals an emission which would otherwise constitute a violation of Chapter 3 (commencing with Section 41700) of Part 4, of Division 26 of the California Health and Safety Code or of AQMD rules. This rule shall not apply to cases in which the only violation involved is of Section 41700 of the California Health and Safety Code, or Rule 402 of AQMD Rules. [408]
15. Nothing in this permit or in any permit shield can alter or affect:
 - (A) Under Section 303 of the federal Clean Air Act, the provisions for emergency orders;
 - (B) The liability of the operator for any violation of applicable requirements prior to or at the time of permit issuance;
 - (C) The applicable requirements of the Acid Rain Program, Regulation XXXI;
 - (D) The ability of EPA to obtain information from the operator pursuant to Section 114 of the federal Clean Air Act;
 - (E) The applicability of state or local requirements that are not "applicable requirements", as defined in Rule 3000, at the time of permit issuance but which do apply to the facility, such as toxics requirements unique to the State; and
 - (F) The applicability of regulatory requirements with compliance dates after the permit issuance date. [3004(c)(3)]
16. For any portable equipment that requires an AQMD or state permit or registration, excluding a) portable engines, b) military tactical support equipment and c) AQMD-permitted portable equipment that are not a major source, are not located at the facility for more than 12 consecutive months after

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

commencing operation, and whose operation does not conflict with the terms or conditions of this Title V permit: 1) the facility operator shall keep a copy of the AQMD or state permit or registration; 2) the equipment operator shall comply with the conditions on the permit or registration and all other regulatory requirements; and 3) the facility operator shall treat the permit or registration as a part of its Title V permit, subject to recordkeeping, reporting and certification requirements. [3004(a)(1)]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

EMERGENCY PROVISIONS

17. An emergency¹ constitutes an affirmative defense to an action brought for non-compliance with a technology-based emission limit only if:
- (A) Properly signed, contemporaneous operating records or other credible evidence demonstrate that:
 - (1) An emergency occurred and the operator can identify the cause(s) of the emergency;
 - (2) The facility was operated properly (i.e. operated and maintained in accordance with the manufacturer's specifications, and in compliance with all regulatory requirements or a compliance plan), before the emergency occurred;
 - (3) The operator took all reasonable steps to minimize levels of emissions that exceeded emissions standard, or other requirements in the permit; and,
 - (4) The operator submitted a written notice of the emergency to the AQMD within two working days of the time when the emissions limitations were exceeded due to the emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - (B) The operator complies with the breakdown provisions of Rule 430 - Breakdown Provisions, or subdivision (i) of Rule 2004 - Requirements, whichever is applicable. [3002(g), 430, 2004(i)]
18. The operator is excused from complying with any regulatory requirement that is suspended by the Executive Officer during a state of emergency or state of war emergency, in accordance with Rule 118 - Emergencies. [118]

1 "Emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the operator, including acts of God, which: (A) requires immediate corrective action to restore normal operation; and (B) causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency; and (C) is not caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

RECORDKEEPING PROVISIONS

19. In addition to any other recordkeeping requirements specified elsewhere in this permit, the operator shall keep records of required monitoring information, where applicable, that include:
 - (A) The date, place as defined in the Title V permit, and time of sampling or measurements;
 - (B) The date(s) analyses were performed;
 - (C) The company or entity that performed the analyses;
 - (D) The analytical techniques or methods used;
 - (E) The results of such analyses; and
 - (F) The operating conditions as existing at the time of sampling or measurement. [3004(a)(4)(B)]
20. The operator shall maintain records pursuant to Rule 109 and any applicable material safety data sheet (MSDS) for any equipment claimed to be exempt from a written permit by Rule 219 based on the information in those records. [219(t)]
21. The operator shall keep all records of monitoring data required by this permit or by regulatory requirements for a period of at least five years from the date of the monitoring sample, measurement, report, or application. [3004(a)(4)(E)]

REPORTING PROVISIONS

22. The operator shall comply with the following requirements for prompt reporting of deviations:
 - (A) Breakdowns shall be reported as required by Rule 430 - Breakdown Provisions or subdivision (i) of Rule 2004 - Requirements, whichever is applicable.
 - (B) Other deviations from permit or applicable rule emission limitations, equipment operating conditions, or work practice standards, determined by observation or by any monitoring or testing required by the permit or applicable rules that result in emissions greater than those allowed by the permit or applicable rules shall be reported within 72 hours (unless a shorter reporting period is specified in an applicable State or Federal Regulation) of discovery of the deviation by contacting AQMD enforcement personnel assigned to this facility or otherwise calling (800) CUT-SMOG.

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

- (C) A written report of such deviations reported pursuant to (B), and any corrective actions or preventative measures taken, shall be submitted to AQMD, in an AQMD approved format, within 14 days of discovery of the deviation.
 - (D) All other deviations shall be reported with the monitoring report required by condition no. 23. [3004(a)(5)]
23. Unless more frequent reporting of monitoring results are specified in other permit conditions or in regulatory requirements, the operator shall submit reports of any required monitoring to the AQMD at least twice per year. The report shall include a) a statement whether all monitoring required by the permit was conducted; and b) identification of all instances of deviations from permit or regulatory requirements. A report for the first six calendar months of the year is due by August 31 and a report for the last six calendar months of the year is due by February 28. [3004(a)(4)(F)]
24. The operator shall submit to the Executive Officer and to the Environmental Protection Agency (EPA), an annual compliance certification. For RECLAIM facilities, the certification is due when the Annual Permit Emissions Program (APEP) report is due and shall cover the same reporting period. For other facilities, the certification is due on March 1 for the previous calendar year. The certification need not include the period preceding the date the initial Title V permit was issued. Each compliance certification shall include:
- (A) Identification of each permit term or condition that is the basis of the certification;
 - (B) The compliance status during the reporting period;
 - (C) Whether compliance was continuous or intermittent;
 - (D) The method(s) used to determine compliance over the reporting period and currently, and
 - (E) Any other facts specifically required by the Executive Officer to determine compliance.

The EPA copy of the certification shall be sent to: Director of the Air Division Attn: Air-3 USEPA, Region IX 75 Hawthorne St. San Francisco, CA 94105 [3004(a)(10)(E)]

25. All records, reports, and documents required to be submitted by a Title V operator to AQMD or EPA shall contain a certification of accuracy consistent with Rule 3003(c)(7) by a responsible official (as defined in Rule 3000). [3004(a)(12)]

**FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN**

SECTION K: TITLE V Administration

PERIODIC MONITORING

26. All periodic monitoring required by this permit pursuant to Rule 3004(a)(4)(c) is based on the requirements and justifications in the AQMD document "Periodic Monitoring Guidelines for Title V Facilities" or in case-by-case determinations documented in the Title V application file. [3004(a)(4)]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

FACILITY RULES

This facility is subject to the following rules and regulations:

With the exception of Rule 402, 473, 477, 1118 and Rules 1401 through 1420, the following rules that are designated as non-federally enforceable are pending EPA approval as part of the state implementation plan. Upon the effective date of that approval, the approved rule(s) will become federally enforceable, and any earlier versions of those rules will no longer be federally enforceable.

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 1110.2	2-1-2008	Non federally enforceable
RULE 1113	11-8-1996	Federally enforceable
RULE 1113	7-13-2007	Non federally enforceable
RULE 1122	10-1-2004	Federally enforceable
RULE 1140	8-2-1985	Non federally enforceable
RULE 1171	11-7-2003	Federally enforceable
RULE 1171	7-14-2006	Non federally enforceable
RULE 118	12-7-1995	Non federally enforceable
RULE 1303(a)(1)-BACT	12-6-2002	Non federally enforceable
RULE 1303(a)(1)-BACT	5-10-1996	Federally enforceable
RULE 1303(b)(2)-Offset	12-6-2002	Non federally enforceable
RULE 1303(b)(2)-Offset	5-10-1996	Federally enforceable
RULE 1304(a)-Modeling and Offset Exemption	6-14-1996	Federally enforceable
RULE 1404	4-6-1990	Non federally enforceable
RULE 1470	6-1-2007	Non federally enforceable
RULE 2009	1-7-2005	Non federally enforceable
RULE 2009	5-11-2001	Non federally enforceable
RULE 2012	12-5-2003	Federally enforceable
RULE 2012	5-6-2005	Federally enforceable
RULE 204	10-8-1993	Federally enforceable
RULE 217	1-5-1990	Federally enforceable
RULE 219	9-4-1981	Federally enforceable
RULE 3002	11-14-1997	Federally enforceable
RULE 3003	11-14-1997	Federally enforceable
RULE 3004(a)(4)-Periodic Monitoring	12-12-1997	Federally enforceable
RULE 3005	11-14-1997	Federally enforceable
RULE 3007	10-8-1993	Federally enforceable
RULE 304	1-14-1982	Non federally enforceable
RULE 401	11-9-2001	Non federally enforceable

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

SECTION K: TITLE V Administration

RULE SOURCE	Adopted/Amended Date	FEDERAL Enforceability
RULE 401	3-2-1984	Federally enforceable
RULE 402	5-7-1976	Non federally enforceable
RULE 404	2-7-1986	Federally enforceable
RULE 405	2-7-1986	Federally enforceable
RULE 407	4-2-1982	Federally enforceable
RULE 408	5-7-1976	Federally enforceable
RULE 409	8-7-1981	Federally enforceable
RULE 430	7-12-1996	Non federally enforceable
RULE 431.1	6-12-1998	Federally enforceable
RULE 431.2	5-4-1990	Federally enforceable
RULE 431.2	9-15-2000	Non federally enforceable
RULE 463	5-6-2005	Federally enforceable
RULE 464	12-7-1990	Federally enforceable
40CFR 60 Subpart D	10-4-1991	Federally enforceable
40CFR 68 - Accidental Release Prevention	5-24-1996	Federally enforceable
RULE 701	6-13-1997	Federally enforceable
40CFR 72 - Acid Rain Provisions	11-24-1997	Federally enforceable
40CFR 73 Subpart B	1-11-1993	Federally enforceable
RULE 802	8-1-1975	Non federally enforceable
CA PRC CEQA	11-23-1970	Non federally enforceable

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX A: NOX AND SOX EMITTING EQUIPMENT EXEMPT FROM WRITTEN PERMIT PURSUANT TO RULE 219

1. INTERNAL COMBUSTION ENGINE, DIRT COMPACTOR, GASOLINE
2. INTERNAL COMBUSTION ENGINE, LEAF BLOWER, GASOLINE
3. INTERNAL COMBUSTION ENGINE, EDGER, GASOLINE
4. INTERNAL COMBUSTION ENGINE, LAWN MOWER, GASOLINE
5. INTERNAL COMBUSTION ENGINE, COMPRESSOR, DIESEL

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 11-8-1996]

- (1) Except as provided in paragraphs (c)(2), (c)(3), and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, or solicit the application of, any architectural coating which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, or manufacture, blend, or repackage such a coating for use within the District.
- (2) Except as provided in paragraphs (c)(3) and (c)(4) of Rule 1113, the operator shall not supply, sell, offer for sale, apply, solicit the application of, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified.

TABLE OF STANDARDS

VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water And Less Exempt Compounds**

COATING	Limit*	Effective Date of Adoption	Effective 1/1/1998	Effective 1/1/1999	Effective 7/1/2001	Effective 1/1/2005	Effective 7/1/2008
Bond Breakers	350						
Clear Wood Finishes							
Varnish	350						
Sanding Sealers	350						
Lacquer	680		550			275	
Concrete-Curing Compounds	350						
Dry-Fog Coatings	400						
Fire-proofing Exterior Coatings	350	450		350			
Fire-Retardant Coatings							
Clear	650						
Pigmented	350						
Flats	250					100	
Graphic Arts (Sign) Coatings	500						50
Industrial Maintenance							

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 11-8-1996]

Primers and Topcoats						
Alkyds	420					
Catalyzed Epoxy	420					
Bituminous Coatings	420					
Materials						
Inorganic Polymers	420					
Vinyl Chloride Polymers	420					
Chlorinated Rubber	420					
Acrylic Polymers	420					
Urethane Polymers	420					
Silicones	420					
Unique Vehicles	420					
Japans/Faux Finishing	350	700		350		
Coatings						
Magnesite Cement Coatings	600			450		
Mastic Coatings	300					
Metallic Pigmented Coatings	500					
Multi-Color Coatings	420		250			
Pigmented Lacquer	680		550			275
Pre-Treatment Wash Primers	780					
Primers, Sealers, and	350					
Undercoaters						
Quick-Dry Enamels	400					
Roof Coatings	300					
Shellac						
Clear	730					
Pigmented	550					
Stains	350					
Swimming Pool Coatings						
Repair	650					
Other	340					
Traffic Coatings	250		150			
Waterproofing Sealers	400					
Wood Preservatives						
Below-Ground	350					
Other	350					

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards

FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 11-8-1996]

TABLE OF STANDARDS (cont.)

VOC LIMITS

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS **[RULE 1113 7-13-2007]**

- (1) Except as provided in paragraphs (c)(2), (c)(3), (c)(4), and specified coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage any architectural coating for use in the District which, at the time of sale or manufacture, contains more than 250 grams of VOC per liter of coating (2.08 pounds per gallon), less water, less exempt compounds, and less any colorant added to tint bases, and no person shall apply or solicit the application of any architectural coating within the District that exceeds 250 grams of VOC per liter of coating as calculated in this paragraph.
- (2) Except as provided in paragraphs (c)(3), (c)(4), and designated coatings averaged under (c)(6), no person shall supply, sell, offer for sale, manufacture, blend, or repackage, for use within the District, any architectural coating listed in the Table of Standards which contains VOC (excluding any colorant added to tint bases) in excess of the corresponding VOC limit specified in the table, after the effective date specified, and no person shall apply or solicit the application of any architectural coating within the District that exceeds the VOC limit as specified in this paragraph. No person shall apply or solicit the application within the District of any industrial maintenance coatings, except anti-graffiti coatings, for residential use or for use in areas such as office space and meeting rooms of industrial, commercial or institutional facilities not exposed to such extreme environmental conditions described in the definition of industrial maintenance coatings; or of any rust-preventative coating for industrial use, unless such a rust preventative coating complies with the Industrial Maintenance Coating VOC limit specified in the Table of Standards.

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 7-13-2007]

TABLE OF STANDARDS VOC LIMITS

**Grams of VOC Per Liter of Coating,
 Less Water and Less Exempt Compounds**

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Bond Breakers	350							
Clear Wood Finishes	350					275		
Varnish	350					275		
Sanding Sealers	350					275		
Lacquer	680	550			275			
Clear Brushing Lacquer	680				275			
Concrete-Curing Compounds	350						100	
Concrete-Curing Compounds For Roadways and Bridges**	350							
Dry-Fog Coatings	400						150	
Fire-Proofing Exterior Coatings	450	350						
Fire-Retardant Coatings***								
Clear	650							
Pigmented	350							
Flats	250	100						50
Floor Coatings	420		100			50		
Graphic Arts (Sign) Coatings	500							
Industrial Maintenance (IM) Coatings	420			250		100		
High Temperature IM Coatings			420					
Zinc-Rich IM Primers	420		340			100		
Japans/Faux Finishing Coatings	700	350						
Magnesite Cement Coatings	600	450						
Mastic Coatings	300							
Metallic Pigmented Coatings	500							
Multi-Color Coatings	420	250						
Nonflat Coatings	250		150			50		
Nonflat High Gloss	250		150				50	

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1113 7-13-2007]

COATING CATEGORY	Ceiling Limit*	Current Limit	Effective Date					
			1/1/03	1/1/04	1/1/05	7/1/06	7/1/07	7/1/08
Pigmented Lacquer	680	550			275			
Pre-Treatment Wash Primers	780		420					
Primers, Sealers, and Undercoaters	350		200			100		
Quick-Dry Enamels	400		250			150	50	
Quick-Dry Primers, Sealers, and Undercoaters	350		200			100		
Recycled Coatings			250					
Roof Coatings	300		250		50			
Roof Coatings, Aluminum	500				100			
Roof Primers, Bituminous	350		350					
Rust Preventative Coatings	420		400			100		
Shellac								
Clear	730							
Pigmented	550							
Specialty Primers	350					250	100	
Stains	350		250				100	
Stains, Interior	250							
Swimming Pool Coatings								
Repair	650		340					
Other	340							
Traffic Coatings	250	150					100	
Waterproofing Sealers	400		250			100		
Waterproofing	400					100		
Concrete/Masonry Sealers								
Wood Preservatives								
Below-Ground	350							
Other	350							

* The specified limits remain in effect unless revised limits are listed in subsequent columns in the Table of Standards.

** Does not include compounds used for curbs and gutters, sidewalks, islands, driveways and other miscellaneous concrete areas.

*** The Fire-Retardant Coating category will be eliminated on January 1, 2007 and subsumed by the coating category for which they are formulated.

FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS
[RULE 1113 7-13-2007]

TABLE OF STANDARDS (cont.)
VOC LIMITS

Grams of VOC Per Liter of Material

COATING	Limit
Low-Solids Coating	120

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS

[RULE 1140 8-2-1985]

- (1) The operator shall not, if he complies with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (1)(A).
- (2) The operator shall not, if he is not complying with an applicable performance standard in section (b)(4) of Rule 1140, discharge into the atmosphere from any abrasive blasting any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
 - (A) As dark or darker in shade as that designated as No. 1 on the Ringelmann Chart, as published by the United States Bureau of Mines, or
 - (B) Of such opacity as to obscure an observer's view to a degree equal to or greater than does smoke described in (2)(A).

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 11-7-2003]

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	500 (4.2)
(iii) Medical Devices & Pharmaceuticals	800 (6.7)
(B) Repair and Maintenance Cleaning	
(i) General	25 (0.21)
(ii) Electrical Apparatus Components & Electronic Components	900 (7.5)
(iii) Medical Devices & Pharmaceuticals	
(A) Tools, Equipment, & Machinery	800 (6.7)
(B) General Work Surfaces	600 (5.0)

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 11-7-2003]

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(C) Cleaning of Coatings or Adhesives Application Equipment	550 (4.6)
(D) Cleaning of Ink Application Equipment	
(i) General	25 (0.21)
(ii) Flexographic Printing	25 (0.21)
(iii) Gravure Printing	
(A) Publication	750 (6.3)
(B) Packaging	25 (0.21)
(iv) Lithographic or Letter Press Printing	
(A) Roller Wash – Step 1	600 (5.0)
(B) Roller Wash-Step 2, Blanket Wash, & On-Press Components	800 (6.7)
(C) Removable Press Components	25 (0.21)
(v) Screen Printing	750 (6.3)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	800 (6.7)

FACILITY PERMIT TO OPERATE
LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS
[RULE 1171 11-7-2003]

SOLVENT CLEANING ACTIVITY	CURRENT LIMITS
	VOC g/l (lb/gal)
(vii) Specialty Flexographic Printing	600 (5.0)
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 7-14-2006]

(1) Solvent Requirements

A person shall not use a solvent to perform solvent cleaning operations unless the solvent complies with the applicable requirements set forth below:

	CURRENT LIMITS*	EFFECTIVE 1/1/2008
SOLVENT CLEANING ACTIVITY	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(A) Product Cleaning During Manufacturing Process Or Surface Preparation For Coating, Adhesive, Or Ink Application		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	
(iii) Medical Devices & Pharmaceuticals	800 (6.7)	
(B) Repair and Maintenance Cleaning		
(i) General	25 (0.21)	
(ii) Electrical Apparatus Components & Electronic Components	100 (0.83)	

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 7-14-2006]

	CURRENT LIMITS*	EFFECTIVE 1/1/2008
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(iii) Medical Devices & Pharmaceuticals		
(A) Tools, Equipment, & Machinery	800 (6.7)	
(B) General Work Surfaces	600 (5.0)	
(C) Cleaning of Coatings or Adhesives Application Equipment	25 (0.21)	
(D) Cleaning of Ink Application Equipment		
(i) General	25 (0.21)	
(ii) Flexographic Printing	25 (0.21)	
(iii) Gravure Printing		
(A) Publication	100 (0.83)	
(B) Packaging	25 (0.21)	
(iv) Lithographic (Offset) or Letter Press Printing		
(A) Roller Wash, Blanket Wash, & On-Press Components		
(I) Newsprint	100 (0.83)	

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 1171 7-14-2006]

	CURRENT LIMITS*	EFFECTIVE 1/1/2008
SOLVENT CLEANING ACTIVITY (cont.)	VOC g/l (lb/gal)	VOC g/l (lb/gal)
(II) Other Substrates	500 (4.2)	100 (0.83)
(B) Removable Press Components	25 (0.21)	
(v) Screen Printing	500 (4.2)	100 (0.83)
(vi) Ultraviolet Ink/ Electron Beam Ink Application Equipment (except screen printing)	650 (5.4)	100 (0.83)
(vii) Specialty Flexographic Printing	100 (0.83)	
(E) Cleaning of Polyester Resin Application Equipment	25 (0.21)	

* The specified limits remain in effect unless revised limits are listed in subsequent columns.

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 404 2-7-1986]

The operator shall not discharge into the atmosphere from this equipment, particulate matter in excess of the concentration at standard conditions, shown in Table 404(a).

Where the volume discharged is between figures listed in the Table, the exact concentration permitted to be discharged shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 404(a)

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
25 or less	883 or less	450	0.196	900	31780	118	0.0515
30	1059	420	.183	1000	35310	113	.0493
35	1236	397	.173	1100	38850	109	.0476
40	1413	377	.165	1200	42380	106	.0463
45	1589	361	.158	1300	45910	102	.0445
50	1766	347	.152	1400	49440	100	.0437
60	2119	324	.141	1500	52970	97	.0424
70	2472	306	.134	1750	61800	92	.0402

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 404 2-7-1986]

Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions		Volume Discharged Calculated as Dry Gas At Standard Conditions		Maximum Concentration of Particulate Matter Allowed in Discharged Gas Calculated as Dry Gas at Standard Conditions	
Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot	Cubic meters Per Minute	Cubic feet Per Minute	Milligrams per Cubic Meter	Grains per Cubic Foot
80	2825	291	.127	2000	70630	87	.0380
90	3178	279	.122	2250	79460	83	.0362
100	3531	267	.117	2500	88290	80	.0349
125	4414	246	.107	3000	105900	75	.0327
150	5297	230	.100	4000	141300	67	.0293
175	6180	217	.0947	5000	176600	62	.0271
200	7063	206	.0900	6000	211900	58	.0253
250	8829	190	.0830	8000	282500	52	.0227
300	10590	177	.0773	10000	353100	48	.0210
350	12360	167	.0730	15000	529700	41	.0179
400	14130	159	.0694	20000	706300	37	.0162
450	15890	152	.0664	25000	882900	34	.0148
500	17660	146	.0637	30000	1059000	32	.0140
600	21190	137	.0598	40000	1413000	28	.0122
700	24720	129	.0563	50000	1766000	26	.0114
800	28250	123	.0537	70000 or more	2472000 or more	23	.0100

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 405 2-7-1986]

The operator shall not discharge into the atmosphere from this equipment, solid particulate matter including lead and lead compounds in excess of the rate shown in Table 405(a).

Where the process weight per hour is between figures listed in the table, the exact weight of permitted discharge shall be determined by linear interpolation.

For the purposes of this rule, emissions shall be averaged over one complete cycle of operation or one hour, whichever is the lesser time period.

TABLE 405(a)

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process)		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process)	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
100 or less	220 or less	0.450	0.99	9000	19840	5.308	11.7
150	331	0.585	1.29	10000	22050	5.440	12.0
200	441	0.703	1.55	12500	27560	5.732	12.6
250	551	0.804	1.77	15000	33070	5.982	13.2
300	661	0.897	1.98	17500	38580	6.202	13.7
350	772	0.983	2.17	20000	44090	6.399	14.1
400	882	1.063	2.34	25000	55120	6.743	14.9
450	992	1.138	2.51	30000	66140	7.037	15.5
500	1102	1.209	2.67	35000	77160	7.296	16.1
600	1323	1.340	2.95	40000	88180	7.527	16.6
700	1543	1.461	3.22	45000	99210	7.738	17.1
800	1764	1.573	3.47	50000	110200	7.931	17.5
900	1984	1.678	3.70	60000	132300	8.277	18.2
1000	2205	1.777	3.92	70000	154300	8.582	18.9

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [RULE 405 2-7-1986]

Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All Points of Process		Process Weight Per Hour		Maximum Discharge Rate Allowed for Solid Particulate Matter (Aggregate Discharged From All points of Process	
Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour	Kilograms Per Hour	Pounds Per Hour
1250	2756	2.003	4.42	80000	176400	8.854	19.5
1500	3307	2.206	4.86	90000	198400	9.102	20.1
1750	3858	2.392	5.27	100000	220500	9.329	20.6
2000	4409	2.563	5.65	125000	275600	9.830	21.7
2250	4960	2.723	6.00	150000	330700	10.26	22.6
2500	5512	2.874	6.34	175000	385800	10.64	23.5
2750	6063	3.016	6.65	200000	440900	10.97	24.2
3000	6614	3.151	6.95	225000	496000	11.28	24.9
3250	7165	3.280	7.23	250000	551200	11.56	25.5
3600	7716	3.404	7.50	275000	606300	11.82	26.1
4000	8818	3.637	8.02	300000	661400	12.07	26.6
4500	9921	3.855	8.50	325000	716500	12.30	27.1
5000	11020	4.059	8.95	350000	771600	12.51	27.6
6000	13230	4.434	9.78	400000	881800	12.91	28.5
7000	15430	4.775	10.5	450000	992100	13.27	29.3
8000	17640	5.089	11.2	500000 or more	1102000 or more	13.60	30.0

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS **[40CFR 72 - Acid Rain Provisions 11-24-1997]**

1. A Title V permit revision is not required for emission increases that are authorized by allowances acquired under the Acid Rain Program, provided that the increases do not trigger a Title V permit revision under any other applicable requirement. [70.6 (a)(4)(ii)]

Monitoring Requirements

2. The owners and operators and, to the extent applicable, the designated representative of each affected source and each affected unit at the source shall comply with the monitoring requirements as provided in 40 CFR Parts 74, 75, and 76. [40 CFR 72.50, 72.31, 72.9(b)(1)]
3. The emissions measurements recorded and reported in accordance with 40 CFR Part 75 shall be used to determine compliance by the unit with the acid rain emissions limitations and emissions reduction requirements for sulfur dioxide (SO₂) under the Acid Rain Program. [40 CFR 72.9(b)(2), 40 CFR 75.2]
4. The requirements of 40 CFR Parts 74 and 75 shall not affect the responsibility of the operator to monitor emissions of other pollutants or other emissions characteristics at the unit under other applicable requirements and other provisions of this permit. [40 CFR 72.9(b)(3), 40 CFR 72.5]

Sulfur Dioxide Requirements

5. The owners and operators of each source and each affected unit at the source shall:
 - (A) Hold allowances, as of the allowance transfer deadline, in the unit's compliance subaccount (after deductions under 40 CFR Part 73, Section 73.34(C)) not less than the total annual emissions of SO₂ for the previous calendar year from the unit; and, [40 CFR 72.9(c)(i)],
 - (B) Comply with the applicable acid rain emissions limitations for SO₂. [40 CFR 72.9(c)(ii)]
6. Each ton of SO₂ emitted in excess of the acid rain emissions limitations for sulfur dioxide shall constitute a separate violation of the Act. [40 CFR 72.9(g)(7)]
7. SO₂ allowances shall be held in, deducted from, or transferred among allowance tracking system accounts in accordance with the Acid Rain Program. [40 CFR 72.9(g)(4)]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [40CFR 72 - Acid Rain Provisions 11-24-1997]

8. A SO₂ allowance shall not be deducted in order to comply with the requirements under paragraph 41(A) of the SO₂ requirements prior to the calendar year for which the allowance was allocated. [40 CFR 72.9(g)(5)]
9. An affected unit shall be subject to the SO₂ requirements under the Acid Rain Program as follows: [40 CFR 72.6(a)]
 - (A) Starting January 1, 2000, an affected unit under 40 CFR Part 72, Section 72.6(a)(2); or [40 CFR 72.6(a)(2)]
 - (B) Starting on the later of January 1, 2000 or the deadline for monitor certification under 40 CFR Part 75, an affected unit under 40 CFR Part 72, Section 72.6(a)(3). [40CFR 72.6(a)(3)]
10. An allowance allocated by the EPA administrator under the Acid Rain Program is a limited authorization to emit SO₂ in accordance with the Acid Rain Program. No provision of the Acid Rain Program, the acid rain permit application, the acid rain permit, or the written exemption under 40 CFR Part 72, Sections 72.7, 72.8, or 72.14, and no provision of law shall be construed to limit the authority of the United States to terminate or limit such authorization. [40 CFR 72.9 (c)(6)]
11. An allowance allocated by the EPA Administrator under the Acid Rain Program does not constitute a property right. [40 CFR 72.9(c)(7)]

Excess Emissions Requirements

12. The designated representative of an affected unit that has excess emissions in any calendar year shall submit a proposed offset plan, as required under 40 CFR Part 77. [40 CFR 72.9(e)]
13. The owners and operators of an affected unit that has excess emissions in any calendar year shall: [40 CFR 72.9(e)(2)]
 - (A) Pay without demand the penalty required, and pay upon demand the interest on that penalty, as required by 40 CFR Part 77; and [40 CFR 72.9(e)(2)(i)]
 - (B) Comply with the terms of an approved offset plan, as required by 40 CFR Part 77. [40 CFR 72.9(e)(2)(ii)]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [40CFR 72 - Acid Rain Provisions 11-24-1997]

Recordkeeping and Reporting Requirements

14. Unless otherwise provided, the owners and operators of the source and each affected unit at the source that are subject to the acid rain provisions under Title IV shall keep on site at the source each of the following documents for a period of five years from the date the document is created. This period may be extended for cause, at any time prior to the end of five years, in writing by the EPA Administrator or the Executive Officer: [40 CFR 72.9(f)(1)]
- (A) The certificate of representation for the designated representative for the source and each affected unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation, in accordance with 40 CFR 72.24; provided that the certificate and documents shall be retained on site at the source beyond such five year period until such documents are superseded because of the submission of a new certificate of representation changing the designated representative; [40 CFR 72.9(f)(1)(i)]
- (B) All emissions monitoring information, in accordance with 40 CFR Part 75; [40 CFR 72.9(f)(1)(ii)]
- (C) Copies of all reports, compliance certifications, and other submissions and all records made or required under the Acid Rain Program; and, [40 CFR 72.9(f)(1)(iii)]
- (D) Copies of all documents used to complete an acid rain permit application and any other submission under the Acid Rain Program or to demonstrate compliance with the requirements of the Acid Rain Program. [40 CFR 72.9(f)(1)(iv)]
15. The designated representative of an affected source and each affected unit at the source shall submit the reports and compliance certifications required under the Acid Rain Program, including those under 40 CFR Part 72 Subpart I and 40 CFR Part 75. [40 CFR 72.9(f)(2)]

Liability

16. Any person who knowingly violates any requirement or prohibition of the Acid Rain Program, a complete acid rain permit application, an acid rain permit, or a written exemption under 40 CFR Part 72, Sections 72.7, 72.8, or 72.14, including any requirement for the payment of any penalty owed to the United States, shall be subject to enforcement pursuant to Section 113(c) of the Act. [40 CFR 72.9 (g)(1)]

FACILITY PERMIT TO OPERATE

LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS **[40CFR 72 - Acid Rain Provisions 11-24-1997]**

17. Any person who knowingly makes a false, material statement in any record, submission, or report under the Acid Rain Program shall be subject to criminal enforcement pursuant to Section 113(c) of the Act and 18 U.S.C. 1001. [40 CFR 72.9 (g)(2)]
18. No permit revision shall excuse any violation of the requirements of the Acid Rain Program that occurs prior to the date that the revision takes effect. [40 CFR 72.9 (g)(3)]
19. Each affected source and each affected unit shall meet the requirements of the Acid Rain Program. [40 CFR 72.9 (g)(4)]
20. Any provision of the Acid Rain Program that applies to an affected source (including a provision applicable to the designated representative of an affected source) shall also apply to the owners and operators of such source and of the affected units at the source. [40 CFR 72.9 (g)(5)]
21. Any provision of the Acid Rain Program that applies to an affected unit (including a provision applicable to the designated representative of an affected unit) shall also apply to the owners and operators of such unit. Except as provided under 40 CFR Part 72, Section 72.44 (Phase II repowering extension plans) and 40 CFR Part 76, Section 76.11 (NOx averaging plans), and except with regard to the requirements applicable to units with a common stack under 40 CFR Part 75 (including 40 CFR Part 75, Sections 75.16, 75.17, and 75.18), the owners and operators and the designated representative of one affected unit shall not be liable for any violation by any other affected unit of which they are not owners or operators or the designated representative and that is located at a source of which they are not owners or operators or the designated representative. [40 CFR 72.9 (g)(6)]
22. Each violation of a provision of 40 CFR Parts 72, 73, 74, 75, 76, 77, and 78 by an affected source or affected unit, or by an owner or operator or designated representative of such source or unit, shall be a separate violation of the Act. [40 CFR 72.9 (g)(7)]

Effect on Other Authorities

23. No provision of the Acid Rain Program, an acid rain permit application, an acid rain permit, or a written exemption under 40 CFR Part 72, Sections 72.7, 72.8, or 72.14 shall be construed as: [40 CFR 72.9 (h)]

FACILITY PERMIT TO OPERATE LA CITY, DWP SCATTERGOOD GENERATING STN

APPENDIX B: RULE EMISSION LIMITS [40CFR 72 - Acid Rain Provisions 11-24-1997]

(A) Except as expressly provided in Title IV of the Act, exempting or excluding the owners and operators and, to the extent applicable, the designated representative of an affected source or affected unit from compliance with any other provision of the Act, including the provisions of Title I of the Act relating to applicable National Ambient Air Quality Standards or state implementation plans; [40 CFR 72.9 (h)(1)]

(B) Limiting the number of allowances a unit can hold; *provided*, that the number of allowances held by the unit shall not affect the source's obligation to comply with any other provisions of the Act; [40 CFR 72.9 (h)(2)]

(C) Requiring a change of any kind in any state law regulating electric utility rates and charges, affecting any state law regarding such state regulation, or limiting such state regulation, including any prudence review requirements under such state law; [40 CFR 72.9 (h)(3)]

(D) Modifying the Federal Power Act or affecting the authority of the Federal Energy Regulatory Commission under the Federal Power Act; or, [40 CFR 72.9 (h)(4)]

(E) Interfering with or impairing any program for competitive bidding for power supply in a state in which such program is established. [40 CFR 72.9 (h)(5)]



South Coast Air Quality Management District



21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

NOTICE OF PROPOSED RENEWAL TITLE V PERMIT

The South Coast Air Quality Management District (AQMD) is proposing to renew the existing Title V permit previously issued to the facility listed below:

Facility Locations and Contact People

LADWP, SCATTERGOOD GENERATING STATION

12700 Vista Del Mar
Playa Del Rey, CA 90293
Facility ID 800075

Contact Person:

Mark Sedlacek
Manager
Corporate Environmental Services
111 North Hope Street, Room 1050
Los Angeles, CA 90012

The facility operates 3 steam boilers along with auxiliary equipment used in the production of electrical power.

Pursuant to Title V of the federal Clean Air Act and the AQMD Rule 3004(f), a Title V permit shall expire five years from the date of issuance unless such permit has been renewed. Accordingly, this facility has submitted a Title V renewal application and requested the AQMD to renew their Title V permits. The proposed permit incorporates updates to the facility information provided in the facility's Title V renewal application and all rules and regulations that are currently applicable to this facility.

The proposed permit is available for public review at the AQMD, 21865 Copley Dr., Diamond Bar, CA, and at the El Segundo Public Library, 111 West Mariposa Avenue, El Segundo, CA 90245. Information regarding the facility owner's compliance history submitted to the AQMD pursuant to California Health & Safety Code Section 42336, or otherwise known to the AQMD based on credible information, is also available from the AQMD for public review. For more information or to review additional supporting documents, call the AQMD's Title V hotline at (909) 396-3013. Written comments should be submitted to Mr. Chris Perri, Air Quality Engineer, 21865 Copley Drive, Diamond Bar, CA 91765-4178. Comments must be received by July 17, 2008. The AQMD will consider all public comments and may revise the Title V permit in accordance with AQMD rules and regulations.

The public may request the AQMD to conduct a public hearing on the proposed permit by submitting a Hearing Request Form (Form 500-G) to Chris Perri at the above AQMD address. The AQMD will hold a public hearing if there is evidence that the proposed permit is not correct or is not adequate to ensure compliance with regulatory requirements, and a hearing will likely provide additional information that will affect the drafting and/or issuance of the permit. Public hearing request forms and the schedule of public hearings may be obtained from the AQMD by calling the Title V hotline at (909) 396-3013, or from the Internet at <http://www.aqmd.gov/titlev>. Requests for public hearings are due by July 2, 2008. A copy of the hearing request must also be sent by first class mail to the appropriate facility contact person listed above.

Cleaning the air that we breathe...

South Coast Air Quality Management District

Statement of Basis

Proposed Title V Renewal Permit

Facility Name: LADWP, Scattergood Generating Station
Facility ID: 800075
SIC Code: 4940
Equipment Location: 12700 Vista Del Mar
Playa Del Rey, CA 90293

Application #(s): 421797
Application Submittal Date(s): 10/30/03

Permit Revision #: varies depending on the section
Revision Date:
Permit Section(s) Affected: All sections (A-K, plus Appendices A and B)

AQMD Contact Person: Chris Perri, Air Quality Engineer
Phone Number: (909) 396-2696
E-Mail Address: cperri@aqmd.gov

1. Introduction and Scope of Permit

Title V is a national operating permit program for air pollution sources. Facilities subject to Title V must obtain a Title V permit and comply with specific Title V procedures to modify the permit. Title V permits are issued in 5 year terms, after which the facility must apply to have the permit renewed. The Title V permit for this facility expired on August 18, 2004. The facility has submitted the necessary information to renew their permit and has satisfied the requirements to obtain an application shield, which allows the continued operation of the facility under the terms and conditions of the existing permit until the permit renewal is approved.

The AQMD implements Title V through Regulation XXX – Title V Permits, adopted by the AQMD Governing Board in order to comply with EPA's requirement that local air permitting authorities develop a Title V program. Regulation XXX was developed with the participation of the public and affected facilities through a series of public workshops, working group meetings, public hearings and other meetings.

The Title V major source threshold for a particular pollutant depends on the attainment status of the pollutant. NO₂, SO₂, and lead are in attainment with federal standards. The status of CO has also recently been changed to attainment. The status for PM-10 is serious nonattainment. The status for ozone is currently extreme nonattainment. For the South Coast Air Basin (SOCAB) the threshold levels are as follows:

Pollutant	SOCAB Major Source Thresholds
VOC	10
NOx	10
SOx	100
CO	50
PM-10	70
Single HAP	10
Combination of HAPS	25

A Title V permit is proposed to be issued to cover the operations of LADWP, Scattergood Generating Station located at 12700 Vista Del Mar, Playa Del Rey. This facility is subject to Title V requirements because it is a major source of one or more criteria pollutants.

2. Facility Description

This is an existing facility that is in the business of producing electrical power for the City of Los Angeles and the State of California. This facility operates 3 utility boiler steam turbine generators which fire on pipeline natural gas and digester gas from the Hyperion Treatment Plant. Total facility generating capacity is about 820 MWs. The boilers are equipped with SCRs for NOx control and are limited to 5 ppm NOx based on a 720 hour average. There is also a 700 hp emergency diesel generator, three 30,000 gallon aqueous ammonia storage tanks, and various other auxiliary equipment on site.

3. Construction and Permitting History

The facility was constructed in the 1950's. Since then, the boiler permits have been modified to install Urea Injection Systems (which were later removed in 1996), and allow the firing of digester gas (1997). An initial Title V permit was issued to the facility on August 19, 1999. The boilers were later retrofit with SCRs in 2001, and the BARCT emission limits were added in 2004.

4. Regulatory Applicability Determinations

Applicable legal requirements for this facility are required to be identified in the Title V permit (for example, Section D, E, and H of the proposed Title V permit). Detailed discussions of the applicability determinations (i.e., determinations made by the District with respect to what legal requirements apply to a specific piece of equipment, process, or operation) can be found in the Engineering Evaluations. The major regulatory requirements for the facility are summarized as follows:

Boilers

401 – Visible Emissions

402 – Nuisance

407 – Liquid and Gaseous Air Contaminants (CO and SO₂)

409 – Combustion Contaminants (PM emissions)

431.1 – Sulfur Content of Gaseous Fuel (SO_x)

431.2 – Sulfur Content of Liquid Fuel (SO_x)

2012 – NOx RECLAIM (monitoring, recordkeeping and reporting of NOx)

Rule 2009 – BARCT (NOx)

Regulation XXX – Title V

40CFR Part 72 – Acid Rain (SO₂)

There are no New Source Performance Standards that apply to the boilers.

This facility is not subject to any MACT standards because the emissions of hazardous air pollutants are below the major source thresholds of 10 tpy for any single HAP and 25 tpy combined HAPs.

Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 do not apply to the boilers at this facility because they employ continuous emissions monitors for NOx emissions [exempt by continuous compliance determination of section 64.2(b)(vi)]. There is no control equipment for CO, PM, or SOx.

BACT limits apply for NH₃ emissions.

Emergency Engine

401 – Visible Emissions

402 - Nuisance

431.2 – Sulfur Content of Liquid Fuels (SOx)

Rule 1470 – Air Toxic Control Measure (PM₁₀)

2012 – NOx RECLAIM (monitoring, recordkeeping and reporting of NOx)

Regulation XXX – Title V

5. Monitoring and Operational Requirements

Applicable monitoring and operational requirements for the facility are identified in the Title V permit (for example, Section D, F, and J and Appendix B of the proposed Title V permit).

Detailed discussion of any applicable monitoring and operational requirements can be found in the Engineering Evaluations.

Under Reclaim the boilers are required to maintain a CEMS for NOx emissions, and report daily mass emissions to AQMD through the RTU. As part of the CEMS, the boilers are also required to be equipped with O₂ monitors and fuel flow meters. The facility is required under Reclaim to submit monthly, quarterly, and annual NOx emissions reports.

6. Permit Features

Permit Shield

A permit shield is an optional part of a Title V permit that gives the facility explicit protection from requirements that may be incorrectly specified in the permit. A permit shield is a provision in a permit that states that compliance with the conditions contained in the permit shall be deemed compliance with all identified regulatory requirements. To incorporate a permit shield into the Title V permit involves submission of applications for change of conditions for each equipment affected by the permit shield. Permit shields are addressed in Rule 3004 (c). This facility has not applied for a permit shield.

Streamlining Requirements

Some emission units may be subject to multiple requirements which are closely related or redundant. The conditions may be streamlined to simplify the permit conditions and compliance. Emission limits, work practice standards, and monitoring, recordkeeping, and reporting requirements may be streamlined. Compliance with a streamlined condition will be deemed compliance with the underlying requirements whether or not the emission unit is actually in compliance with the specific underlying requirement. This facility has not applied for any streamlined conditions.

7. Summary of Emissions and Health Risks

Criteria Pollutant Emissions (tons/year) Annual Reported Emissions for Reporting Period 2003-04

Pollutant	Emissions (tons/year)
NOx	56
CO	429
VOC	88
PM	92
SOx	9

Toxic Air Contaminants Emissions (TAC) Annual Reported Emissions for Reporting Period 2003/2004

The Following TACs Were Reported	Emissions (lbs/yr)
Asbestos	0.011
Benzene	41.8
1,3-Butadiene	0.054
Cadmium	0.00018
Formaldehyde	88.5
Hexavalent Chrome	0.000012
Inorganic Arsenic	0.000192
Lead	0.000996
Methylene Chloride	40.1
Nickel	0.000567
Perchloroethylene	49.2
Polynuclear aromatic hydrocarbons (PAHs)	9.8
Trichloroethylene	17.5
Ammonia	207,034

Health Risk from Toxic Air Contaminants

The facility is subject to review by the Air Toxics Information and Assessment Act (AB2588). The Final Facility Health Risk was approved on 4/27/00 with the following risk factors:

Cancer Risk	0.03 in one million
Acute Hazard Index	0.0
Chronic Hazard Index	0.0

8. Compliance History

As noted, the facility has been in constant operation since the 1950's. The facility has been subject to both self-reporting requirements and AQMD inspections. The facility has had 0 citizen complaints filed, 3 Notices to Comply issued, and 3 Notices of Violation issued in the last two calendar years.

9. Compliance Certification

By virtue of the Title V permit application and renewal of this permit, the reporting frequency for compliance certification for the facility shall be annual.

10. Comments

There are no comments at this time.



South Coast Air Quality Management District

Form 500-A2

TITLE V Application Certification

Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765

Tel: (909) 396-3385
www.aqmd.gov

Section I - Facility Information

1. Permit to be issued to (Business name of operator to appear on permit):
LA City, DWP Scattergood Generating Station
2. Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD):
800075
3. This Certification is submitted with a (Check one):
a. ☒ Title V Application (Initial, Revision or Renewal)
b. ☐ Supplement/Correction to a Title V Application
c. ☐ MACT Part 2
4. Is Form 500-C2 Included with this Certification? ☐ Yes ☒ No

Section II - Responsible Official Certification Statement

I certify under penalty of law that I am the responsible official for this facility as defined in AQMD Regulation XXX and that based on information and belief formed after reasonable inquiry, the statements and information in this document and in all attached application forms and other materials are true, accurate, and complete.

Read each statement carefully and check each that applies – **You must check 3a or 3b.**

1. For Initial, Permit Renewal, and Administrative Application Certifications:


- a. ☒ The facility, including equipment that are exempt from written permit per Rule 219, is currently operating and will continue to operate in compliance with all applicable requirement(s) identified in Section II and Section III of Form 500-C1.
i. ☐ except for those requirements that do not specifically pertain to such devices or equipment and that have been identified as "Remove" on Section III of Form 500-C1.
ii. ☐ except for those devices or equipment that have been identified on the completed and attached Form 500-C2 that will not be operating in compliance with the specified applicable requirement(s).
- b. ☐ The facility, including equipment that are exempt from written permit per Rule 219, will meet in a timely manner, all applicable requirements with future effective dates.

2. For Permit Revision Application Certifications:

- a. ☐ The equipment or devices to which this permit revision applies, will in a timely manner comply with all applicable requirements identified in Section II and Section III of Form 500-C1.

3. For MACT Hammer Certifications:

- a. ☐ The facility is subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63), also known as the MACT "hammer." The following information is submitted with a Title V application to comply with the Part 1 requirements of Section 112(j). (If Part 2 has not been submitted, you must submit 500-MACT Part 2 with this form.)
- b. ☒ The facility is not subject to Section 112(j) of the Clean Air Act (Subpart B of 40 CFR part 63).


Signature of Responsible Official

Aram H. Benyamini
Type or Print Name of Responsible Official

Acting Senior Assistant General Manager - Power System
Title of Responsible Official

111 N. Hope Street, Room 921
Address of Responsible Official

Los Angeles
City

CA
State

90012
Zip Code

5/29/08
Date

(213) 367-4435
Phone


(213) 367-0313
Fax

Acid Rain Facilities Only: Turn page over & complete Section III

Acid Rain facilities must certify their compliance status of the devices subject to applicable requirements under Title IV by an individual who meets the definition of Designated (or Alternate) Representative in 40 CFR Part 72.

Section III - Designated Representative Certification Statement

1. *For Acid Rain Facilities Only:* I am authorized to make this submission on behalf of the owners and operators of the affected source or affected units for which the submission is made. I certify under penalty of law that I have personally examined, and am familiar with, the statements and information submitted in this document and all its attachments. Based on my inquiry of those individuals with primary responsibility for obtaining the information, I certify that the statements and information are to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false statements and information or omitting required statements and information, including the possibility of fine or imprisonment.



6/4/08

Signature of Designated Representative or Alternate

Date

Mark J. Sedlacek

(213) 367-0403

Type or Print Name of Designated Representative or Alternate

Phone

Director of Environmental Services

(213) 367-4710

Title of Designated Representative or Alternate

Fax

111 N. Hope Street, Room 1050

Los Angeles

CA

90012

Address of Designated Representative or Alternate

City

State

Zip Code



**Title V
Form 500-C1**

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
Compliance Status Report**

To provide the compliance status of your facility with applicable federally enforceable requirements and identify other local-only requirements, complete this form and attach it to a completed compliance certification Form 500-A2. As appropriate, all submittals of Form 500-C2 as appropriate should also be attached to this form.

Section I - General Information

1. Facility Name: SCATTERGOOD GENERATING STATION

Facility ID (6-Digit): 800075

PROCEDURES FOR DETERMINING COMPLIANCE STATUS

- Equipment verification:** Review the list of pending applications, and either the preliminary Title V facility permit or the list of current permits to operate that the AQMD provided you, to determine if they completely and accurately describe all equipment operating at the facility. Attach a statement to describe any discrepancies.
- Identify applicable requirements*:** Use the checklist in Section II to identify all applicable and federally-enforceable local, state, and federal rules and regulations, test methods, and monitoring, recordkeeping and reporting (MRR) requirements that apply to any equipment or process (including equipment exempt from a permit by Rule 219) at your facility.
The potential applicable requirements, test methods and MRR requirements are identified and listed adjacent to each given equipment/process description. Check off each box adjacent to the corresponding requirement as it applies to your particular equipment/process.
Note: Even if there is only one piece of equipment that is subject to a particular requirement, the appropriate box should be checked.
- Identify additional applicable requirements*:** Use Section III to identify any additional requirements not found in Section II. Section II is not a complete list of all applicable requirements. It does not include recently adopted NESHAP regulations by EPA or recent amendments to AQMD rules. Do not add rules listed in Section V here.
- Identify any requirements that do not apply to a specific piece of equipment or process:** Also use Section III to identify any requirements that are listed in Section II but that do not apply to a specific piece of equipment or process. Fill out Section III of this form and attach a separate sheet to explain the reason(s) why the identified rules do not apply. Note: Listing any requirement that does not apply to a specific piece of equipment will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and is approved by AQMD.
- Identify SIP-approved rules that are not current AQMD rules:** Use Section IV to identify older versions of current AQMD rules that are the EPA-approved versions in the State Implementation Plan (SIP), and that are still applicable requirements as defined by EPA. The facility is not required to certify compliance with the items checked in Section IV provided that the non-SIP approved rule in Section II is at least as stringent as the older SIP-approved version in Section IV.
- Identify Local-Only Enforceable Regulatory Requirements:** Use Section V to identify AQMD rules that are not SIP-approved and are not federally enforceable.
- Determine compliance:** Determine if all equipment and processes are complying with all requirements identified in Sections II and III. If each piece of equipment complies with all applicable requirements, complete and attach Form 500-A2 to certify the compliance status of the facility. If any piece of equipment is not in compliance with any of the applicable requirements, complete and attach Form 500-C2 in addition to Form 500-A2.

* The following AQMD rules and regulations are not required to be included in Section II and do not have to be added to Section III: Regulation I, List and Criteria in Regulation II, Rule 201, Rule 201.1, Rule 202, Rule 203, Rule 205, Rule 206, Rule 207, Rule 208, Rule 209, Rule 210, Rule 212, Rule 214, Rule 215, Rule 216, Rule 217, Rule 219, Rule 220, Rule 221, Regulation III, Regulation V, Regulation VIII, Regulation XII, Regulation XV, Regulation XVI, Regulation XIX, Regulation XXI, Regulation XXII, and Regulation XXX.

** Emission units adversely affected by the gap between current and SIP-approved versions of rules may initially be placed in a non-Title V portion of the permit

Section I - Applicable Requirements, Test Methods, & MRR Requirements				
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT	
<input type="checkbox"/> All Air Pollution Control Equipment Using Combustion (RECLAIM & non-RECLAIM sources)	<input type="checkbox"/> Rule 480 (10/07/77)	N/A	N/A	
<input checked="" type="checkbox"/> All Coating Operations	<input checked="" type="checkbox"/> Rule 442 (12/15/00)	<input checked="" type="checkbox"/> Rule 442(f)	<input checked="" type="checkbox"/> Rule 442(g)	
<input type="checkbox"/> All Combustion Equipment, ≥ 555 Mmbtu/Hr (except for NOx RECLAIM sources)	<input type="checkbox"/> Rule 474 (12/04/81)	<input type="checkbox"/> AQMD TM 7.1 or 100.1		
<input checked="" type="checkbox"/> All Combustion Equipment Except Internal Combustion Engines (RECLAIM & non-RECLAIM sources)	<input checked="" type="checkbox"/> Rule 407 (04/02/82) <input checked="" type="checkbox"/> Rule 409 (08/07/81)	<input checked="" type="checkbox"/> AQMD TM 100.1 or 10.1, 307-91 <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3		
<input checked="" type="checkbox"/> All Combustion Equipment Using Gaseous Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.1 (06/12/98)	<input checked="" type="checkbox"/> Rule 431.1(f)	<input checked="" type="checkbox"/> Rule 431.1(d) & (e)	
<input checked="" type="checkbox"/> All Combustion Equipment Using Liquid Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.2 (09/15/00)	<input checked="" type="checkbox"/> Rule 431.2(g)	<input checked="" type="checkbox"/> Rule 431.2(f)	
<input checked="" type="checkbox"/> All Combustion Equipment Using Fossil Fuel (except SOx RECLAIM sources)	<input checked="" type="checkbox"/> Rule 431.3 (05/07/76)			
<input checked="" type="checkbox"/> All Equipment	<input checked="" type="checkbox"/> Rule 401 (11/09/01) <input checked="" type="checkbox"/> Rule 405 (02/07/86) <input checked="" type="checkbox"/> Rule 408 (05/07/76) <input checked="" type="checkbox"/> Rule 430 (07/12/96) <input checked="" type="checkbox"/> Rule 701 (06/13/97) <input checked="" type="checkbox"/> New Source Review, BACT <input checked="" type="checkbox"/> Rule 1703 (10/07/88) <input checked="" type="checkbox"/> 40 CFR68 - Accidental Release Prevention	<input checked="" type="checkbox"/> California Air Resources Board Visible Emission Evaluation <input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 N/A See Applicable Subpart	<input checked="" type="checkbox"/> Rule 430(b) See Applicable Subpart	
<input type="checkbox"/> All Equipment Processing Solid Materials	<input type="checkbox"/> Rule 403 (04/02/04)	<input type="checkbox"/> Rule 403(d)(4)	<input type="checkbox"/> Rule 403(f)	
<input checked="" type="checkbox"/> All Equipment With Exhaust Stack (except cement kilns subject to Rule 1112.1)	<input checked="" type="checkbox"/> Rule 404 (02/07/86)	<input checked="" type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3		
<input checked="" type="checkbox"/> All Facilities Using Solvents to Clean Various Items or Equipment	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1171 (11/07/03) <input checked="" type="checkbox"/> 40 CFR63 SUBPART T	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart	
<input checked="" type="checkbox"/> All RECLAIM Equipment (NOx & SOx)	<input checked="" type="checkbox"/> Reg. XX - RECLAIM	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input checked="" type="checkbox"/> Rule 2012, App. A (12/05/03)	<input type="checkbox"/> Rule 2011, App. A (12/05/03) <input checked="" type="checkbox"/> Rule 2012, App. A (12/05/03)	
<input checked="" type="checkbox"/> Abrasive Blasting	<input checked="" type="checkbox"/> Rule 1140 (08/02/85)	<input checked="" type="checkbox"/> Rule 1140(d) & (e), AQMD Visible Emission Method		
<input type="checkbox"/> Aggregate and Related Operations	<input type="checkbox"/> Rule 1157 (01/07/05)	<input type="checkbox"/> Rule 1157(f)	<input type="checkbox"/> Rule 1157(e) See Applicable Subpart	
<input type="checkbox"/> Appliances Containing Ozone Depleting Substances (except Motor Vehicle Air Conditioners): Manufacturing, Repair, Maintenance, Service, & Disposal	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart	
KEY ABBREVIATIONS:	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1 Rev. 05/05 Page 2 of 2

Section II - Applicable Requirements, Test Methods, & MRR Requirements				
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT	
<input type="checkbox"/> Boiler, Petroleum Refining (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 475 (08/07/78) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Boiler, Petroleum Refining (RECLAIM sources)	<input type="checkbox"/> Rule 1146 (11/17/00) - excluding NOx requirements <input type="checkbox"/> Rule 2011 (12/05/03) or Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 1146(d) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1146(c)(6) & (c)(7) <input type="checkbox"/> Rule 2011, App. A (12/05/03) or Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Boilers, Electric Utility (non-RECLAIM sources)	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 1135 (07/19/91) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> AQMD TM 100.1 N/A <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 1135(e) See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Boilers, Electric Utility (RECLAIM sources)	<input type="checkbox"/> Rule 2012 (12/05/03) <input type="checkbox"/> 40 CFR60 SUBPART Db <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 2012, App. A (12/05/03) See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Bulk Loading Of Organic Liquids	<input type="checkbox"/> Rule 462 (05/14/99) <input type="checkbox"/> 40 CFR60 SUBPART XX <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART EEEE <input type="checkbox"/> 40 CFR63 SUBPART GGGGG	<input type="checkbox"/> Rule 462(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 462(g) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Cadmium Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)	
<input type="checkbox"/> Calciner, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Calciner, Petroleum Coke	<input type="checkbox"/> Rule 477 (04/03/81)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 5.1, 5.2, or 5.3 <input type="checkbox"/> AQMD TM 6.1 or 100.1 See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Charbroilers	<input type="checkbox"/> Rule 1119 (03/02/79) <input type="checkbox"/> 40 CFR63 SUBPART L <input type="checkbox"/> Rule 1174 (10/05/90) <input type="checkbox"/> Rule 1138 (11/14/97)	<input type="checkbox"/> AQMD Test Protocol <input type="checkbox"/> Rule 1138(g)	See Applicable Subpart	
<input type="checkbox"/> Chrome Plating & Chromic Acid Anodizing Operation	<input type="checkbox"/> Rule 1426 (05/02/03) <input type="checkbox"/> Rule 1469 (05/02/03)	<input type="checkbox"/> Rule 1469(e)	<input type="checkbox"/> Rule 1138(d) <input type="checkbox"/> Rule 1426(e) <input type="checkbox"/> Rule 1469(g), (j) & (k)	
<input type="checkbox"/> Coating Operation, Adhesive Application Operation	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1168 (01/07/05)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1168(f) & (g)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1168(e)	

Section II - Applicable Requirements, Test Methods, & MRR Requirements				
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT	
<input type="checkbox"/> Coating Operation, Aerospace Assembly & Component Manufacturing	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	<input type="checkbox"/> Rule 1171(c)(6)
	<input type="checkbox"/> 40 CFR60 SUBPART RR	See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	<input type="checkbox"/> Rule 109(c)
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)	<input type="checkbox"/> Rule 1124(j)	<input type="checkbox"/> Rule 1124(j)
	<input type="checkbox"/> Rule 1124 (09/21/01)	<input type="checkbox"/> Rule 1124(e) & (f)	<input type="checkbox"/> Rule 1132(g)	<input type="checkbox"/> Rule 1132(g)
<input type="checkbox"/> Coating Operation, Graphic Arts (Gravure, Letter Press, Flexographic & Lithographic Printing Process, Etc.)	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1171(c)(6)	<input type="checkbox"/> Rule 1171(c)(6)
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART GG	See Applicable Subpart	<input type="checkbox"/> Rule 109(c)	<input type="checkbox"/> Rule 109(c)
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 1130(e)	<input type="checkbox"/> Rule 1130(e)
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)	<input type="checkbox"/> Rule 1132(g)	<input type="checkbox"/> Rule 1132(g)
<input type="checkbox"/> Coating Operation, Magnet Wire Coating	<input type="checkbox"/> Rule 1130 (10/08/99)	<input type="checkbox"/> Rule 1130(h)	<input type="checkbox"/> Rule 1171(c)(6)	<input type="checkbox"/> Rule 1171(c)(6)
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART QQ	See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART RR	See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
<input type="checkbox"/> Coating Operation, Marine Coating (Except for recreational equipment)	<input type="checkbox"/> 40 CFR60 SUBPART FFF	See Applicable Subpart	<input type="checkbox"/> Rule 109(c)	<input type="checkbox"/> Rule 109(c)
	<input type="checkbox"/> 40 CFR60 SUBPART VVV	See Applicable Subpart	<input type="checkbox"/> Rule 1126(c)(4)	<input type="checkbox"/> Rule 1126(c)(4)
	<input type="checkbox"/> 40 CFR63 SUBPART KK	See Applicable Subpart	<input type="checkbox"/> Rule 1132(g)	<input type="checkbox"/> Rule 1132(g)
	<input type="checkbox"/> 40 CFR63 SUBPART JJJ	See Applicable Subpart	<input type="checkbox"/> Rule 1171(c)(6)	<input type="checkbox"/> Rule 1171(c)(6)
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	<input type="checkbox"/> Rule 109(c)
<input checked="" type="checkbox"/> Coating Operation, Metal Coating	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)	<input type="checkbox"/> Rule 1106(c)(5)	<input type="checkbox"/> Rule 1106(c)(5)
	<input type="checkbox"/> Rule 1126 (01/13/95)	<input type="checkbox"/> Rule 1126(d)	<input type="checkbox"/> Rule 1132(g)	<input type="checkbox"/> Rule 1132(g)
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1171(c)(6)	<input type="checkbox"/> Rule 1171(c)(6)
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART II	See Applicable Subpart	<input checked="" type="checkbox"/> Rule 109(c)	<input checked="" type="checkbox"/> Rule 109(c)
<input checked="" type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input checked="" type="checkbox"/> Rule 109 (05/02/03)	<input checked="" type="checkbox"/> Rule 109(g)	<input checked="" type="checkbox"/> Rule 1107(k)	<input checked="" type="checkbox"/> Rule 1107(k)
	<input checked="" type="checkbox"/> Rule 481 (01/11/02)	<input checked="" type="checkbox"/> Rule 481(d)	<input type="checkbox"/> Rule 1132(g)	<input type="checkbox"/> Rule 1132(g)
	<input checked="" type="checkbox"/> Rule 1107 (11/09/01)	<input checked="" type="checkbox"/> Rule 1107(f)	<input checked="" type="checkbox"/> Rule 1171(c)(6)	<input checked="" type="checkbox"/> Rule 1171(c)(6)
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
	<input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> 40 CFR60 SUBPART EE	See Applicable Subpart	<input type="checkbox"/> Rule 109(c)	<input type="checkbox"/> Rule 109(c)
	<input type="checkbox"/> 40 CFR60 SUBPART SS	See Applicable Subpart	<input type="checkbox"/> Rule 1125(c)(6)	<input type="checkbox"/> Rule 1125(c)(6)
	<input type="checkbox"/> 40 CFR63 SUBPART NNNN	See Applicable Subpart		
	<input type="checkbox"/> 40 CFR63 SUBPART MMMM	See Applicable Subpart		
	<input type="checkbox"/> 40 CFR63 SUBPART RRRR	See Applicable Subpart		
<input type="checkbox"/> Coating Operation, Metal Containers, Closure, & Coil Coating Operations	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 1107(k)	<input type="checkbox"/> Rule 1107(k)
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)	<input type="checkbox"/> Rule 1132(g)	<input type="checkbox"/> Rule 1132(g)
	<input type="checkbox"/> Rule 1125 (01/13/95)	<input type="checkbox"/> Rule 1125(e)	<input type="checkbox"/> Rule 1171(c)(6)	<input type="checkbox"/> Rule 1171(c)(6)
			<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
			<input type="checkbox"/> See Applicable Subpart	<input type="checkbox"/> See Applicable Subpart
KEY ABBREVIATIONS:	Reg. = AQMD Regulation Rule = AQMD Rule	App. = Appendix AQMD TM = AQMD Test Method	CFR = Code of Federal Regulations CCR = California Code of Regulations	AQMD Form 500-C1 Rev. 05/05 Page 5 of 5

Section II - Applicable Requirements, Test Methods, & MRR Requirements				
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT	
<input type="checkbox"/> Coating Operation, Motor Vehicle & Mobile Equipment Non-Assembly Line Coating Operation	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
	<input type="checkbox"/> 40 CFR60 SUBPART TT	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR60 SUBPART WW	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART SSSS	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)		
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1151 (12/11/98)	<input type="checkbox"/> Rule 1151(g)	<input type="checkbox"/> Rule 1151(f)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
<input type="checkbox"/> Coating Operation, Motor Vehicle Assembly Line	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)		
	<input type="checkbox"/> Rule 1115 (05/12/95)	<input type="checkbox"/> Rule 1115(e)	<input type="checkbox"/> Rule 1115(g)	
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
<input type="checkbox"/> Coating Operation, Paper, Fabric, & Film Coating Operations	<input type="checkbox"/> 40 CFR60 SUBPART MM	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)		
	<input type="checkbox"/> Rule 1128 (03/08/96)	<input type="checkbox"/> Rule 1128(f)	<input type="checkbox"/> Rule 1128(e)	
<input type="checkbox"/> Coating Operation, Plastic, Rubber, & Glass	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
	<input type="checkbox"/> 40 CFR60 SUBPART VVV	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART OOOO	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	
<input type="checkbox"/> Coating Operation, Pleasure Craft	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)		
	<input type="checkbox"/> Rule 1145 (12/03/04)	<input type="checkbox"/> Rule 1145(e)	<input type="checkbox"/> Rule 1145(d)	
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
	<input type="checkbox"/> 40 CFR60 SUBPART TTT	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> 40 CFR63 SUBPART NNNN	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> 40 CFR63 SUBPART PPPP	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)		
	<input type="checkbox"/> Rule 1106.1 (02/12/99)	<input type="checkbox"/> Rule 1106.1(e)	<input type="checkbox"/> Rule 1106.1(d)	
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
	<input type="checkbox"/> 40 CFR63 SUBPART II	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	
	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)		
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 1130.1 (12/13/96)	<input type="checkbox"/> Rule 1130.1(g)	<input type="checkbox"/> Rule 1130.1(c)(5)	
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
	<input type="checkbox"/> 40 CFR63 SUBPART II	See Applicable Subpart	See Applicable Subpart	
	<input type="checkbox"/> Rule 109 (05/02/03)	<input type="checkbox"/> Rule 109(g)	<input type="checkbox"/> Rule 109(c)	
<input type="checkbox"/> Coating Operation, Screen Printing	<input type="checkbox"/> Rule 481 (01/11/02)	<input type="checkbox"/> Rule 481(d)		
	<input type="checkbox"/> Rule 1130.1 (12/13/96)	<input type="checkbox"/> Rule 1130.1(g)	<input type="checkbox"/> Rule 1130.1(c)(5)	
	<input type="checkbox"/> Rule 1132 (05/07/04)	<input type="checkbox"/> Rule 1132(f)	<input type="checkbox"/> Rule 1132(g)	
	<input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1171(c)(6)	
	<input type="checkbox"/> 40 CFR63 SUBPART II	See Applicable Subpart	See Applicable Subpart	
KEY		CFR = Code of Federal Regulations		AQMD Form Rev. 05/05
ABBREVIATIONS:		CCR = California Code of Regulations		Page 6 of 6
Reg. = AQMD Regulation		App. = Appendix		
Rule = AQMD Rule		AQMD TM = AQMD Test Method		
				500-C1

Section II - Applicable Requirements, Test Methods & MRR Requirements			
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input checked="" type="checkbox"/> Coating Operation, Use Of Architectural Coating (Stationary Structures)	<input type="checkbox"/> 40 CFR63 SUBPART KK <input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 481 (01/11/02) <input checked="" type="checkbox"/> Rule 1113 (07/09/04) <input type="checkbox"/> Rule 1132 (05/07/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	See Applicable Subpart <input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 481(d) <input checked="" type="checkbox"/> Rule 1113(e) <input type="checkbox"/> Rule 1132(f) <input checked="" type="checkbox"/> Rule 1171(f)	See Applicable Subpart <input checked="" type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input checked="" type="checkbox"/> Rule 1171(c)(6) <input type="checkbox"/> Rule 109(c)
<input type="checkbox"/> Coating Operation, Wood Flat Stock	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1104 (08/13/99) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1104(e) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1171(f)	 <input type="checkbox"/> Rule 1104(d) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coating Operation, Wood Products (Commercial Furniture, Cabinets, Shutters, Frames, Toys)	<input type="checkbox"/> 40 CFR63 SUBPART II <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 481 (01/11/02) <input type="checkbox"/> Rule 1132 (05/07/04) <input type="checkbox"/> Rule 1136 (06/14/96) <input type="checkbox"/> Rule 1171 (11/07/03)	See Applicable Subpart <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 481(d) <input type="checkbox"/> Rule 1132(f) <input type="checkbox"/> Rule 1136(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1132(g) <input type="checkbox"/> Rule 1136(d) & (g) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Coater	See Coating Operations		
<input type="checkbox"/> Columns	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Composting Operation	<input type="checkbox"/> Rule 1133 (01/10/03) <input type="checkbox"/> Rule 1133.1 (01/10/03) <input type="checkbox"/> Rule 1133.2 (01/10/03)	<input type="checkbox"/> Rule 1133.1(e) <input type="checkbox"/> Rule 1133.2(g)	<input type="checkbox"/> Rule 1133.1(d) <input type="checkbox"/> Rule 1133.2(h)
<input type="checkbox"/> Compressors	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Concrete Batch Plants	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Consumer Product Manufacturing	See Manufacturing, Consumer Product		
<input type="checkbox"/> Cooling Tower, Hexavalent Chromium	<input type="checkbox"/> 40 CFR63 SUBPART Q	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Copper Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Crude Oil Production	See Oil Well Operations		
<input type="checkbox"/> Crusher	See Nonmetallic Mineral Processing Plants		
<input type="checkbox"/> Dairy Farms and Related Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)
<input checked="" type="checkbox"/> Degreasers	<input checked="" type="checkbox"/> Rule 109 (05/02/03) <input checked="" type="checkbox"/> Rule 1122 (10/01/04) <input checked="" type="checkbox"/> Rule 1171 (11/07/03)	<input checked="" type="checkbox"/> Rule 109(g) <input checked="" type="checkbox"/> Rule 1122(h) <input checked="" type="checkbox"/> Rule 1171(f)	<input checked="" type="checkbox"/> Rule 109(c) <input checked="" type="checkbox"/> Rule 1122(i) <input checked="" type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> 40 CFR63 SUBPART T	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Dry Cleaning, Perchloroethylene	<input type="checkbox"/> Rule 1421 (12/06/02)	<input type="checkbox"/> Rule 1421(e) & (i)	<input type="checkbox"/> Rule 1421(g) & (h)
<input type="checkbox"/> Dry Cleaning, Petroleum Solvent	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1102 (11/17/00)	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1102(g)	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1102(f)
<input type="checkbox"/> Dryers, Mineral Industries	<input type="checkbox"/> 40 CFR60 SUBPART JJJ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Ethylene Oxide Sterilizer	<input type="checkbox"/> 40 CFR60 SUBPART UUU	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Flanges	See Sterilizer, Ethylene Oxide		
	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
KEY	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations
ABBREVIATIONS:	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations
			AQMD Form 500-C1 Rev. 05/05 Page 7 of 7

Section II: Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fluid Catalytic Cracking Unit	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1105 (09/01/84) <input type="checkbox"/> Rule 1105.1 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART EEEEE See Manufacturing, Friction Materials	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> Rule 1105(c)(1) <input type="checkbox"/> Rule 1105.1(f) See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) <input type="checkbox"/> Rule 1105(c)(2) <input type="checkbox"/> Rule 1105.1(e) See Applicable Subpart
<input type="checkbox"/> Foundries, Iron and Steel	See Manufacturing, Friction Materials	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Friction Materials Manufacturing	See Manufacturing, Friction Materials	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Benzene	<input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART L <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Chemical Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART VV <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Natural Gas Processing Plant	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR60 SUBPART KKK <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Fugitive Emissions, Oil & Gas Production Facility	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart

Section I - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Fugitive Emissions, Pipeline Transfer Station	<input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> Rule 1173 (12/06/02) <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart See Applicable Subpart <input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) <input type="checkbox"/> Rule 1173(j) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart <input type="checkbox"/> Rule 466(e) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) <input type="checkbox"/> Rule 1173(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Furnace, Basic Oxygen Process	<input type="checkbox"/> 40 CFR60 SUBPART Na	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants Constructed After August 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AAa	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Electric Arc, For Steel Plants: Constructed After Oct. 21, 1974, & On Or Before Aug. 17, 1983	<input type="checkbox"/> 40 CFR60 SUBPART AA	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Glass Melting	<input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC	<input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Furnace, Lead Melting, Automotive Batteries	<input type="checkbox"/> Rule 1101 (10/07/77) <input type="checkbox"/> 40 CFR63 SUBPART X	<input type="checkbox"/> AQMD TM 6.1	See Applicable Subpart
<input type="checkbox"/> Gasoline Transfer & Dispensing Operation	<input type="checkbox"/> Rule 461 (01/09/04)	<input type="checkbox"/> Rule 461(f)	See Applicable Subpart
<input type="checkbox"/> Glass Manufacturing	See Manufacturing, Glass		<input type="checkbox"/> Rule 461(c)(6) & (e)(7)
<input type="checkbox"/> Grain Elevators	<input type="checkbox"/> 40 CFR60 SUBPART DD	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Halon-containing Equipment, Use for Technician Training, Testing, Maintenance, Service, Repair, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Heater, Asphalt Pavement	<input type="checkbox"/> Rule 1120 (08/04/78)	<input type="checkbox"/> AQMD Visible Emissions, AQMD TM 6.2	<input type="checkbox"/> Rule 1120(f)
<input type="checkbox"/> Heaters, Petroleum Refinery Process	<input type="checkbox"/> Rule 429 (12/21/90) <input type="checkbox"/> Rule 431.1 (06/12/98) <input type="checkbox"/> Rule 1146 (11/17/00) <input type="checkbox"/> 40 CFR60 SUBPART J <input type="checkbox"/> 40 CFR63 SUBPART DDDDD	N/A <input type="checkbox"/> Rule 431.1(f) <input type="checkbox"/> Rule 1146(d) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 429(d) <input type="checkbox"/> Rule 431.1(d) & (e) <input type="checkbox"/> Rule 1146(c)(6) & (c)(7) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Heaters, Process	See Boilers		
<input type="checkbox"/> Incinerators	<input type="checkbox"/> 40 CFR60 SUBPART E	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Inorganic Arsenic Emissions, Arsenic Trioxide & Metallic Arsenic Production Facilities	<input type="checkbox"/> 40 CFR61 SUBPART P	See Applicable Subpart	See Applicable Subpart

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Internal Combustion Engines, Reciprocating	<input type="checkbox"/> 40 CFR63 SUBPART ZZZZ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Kiln, Cement Plant	<input type="checkbox"/> Rule 1112 (01/06/86) <input type="checkbox"/> Rule 1112.1 (02/07/86) <input type="checkbox"/> 40 CFR60 SUBPART F	N/A N/A See Applicable Subpart	N/A N/A See Applicable Subpart
<input type="checkbox"/> Landfills	<input type="checkbox"/> Rule 1150 (10/15/82) <input type="checkbox"/> Rule 1150.1 (03/17/00) <input type="checkbox"/> 40 CFR60 SUBPART WWW <input type="checkbox"/> 40 CFR63 SUBPART AAAA	<input type="checkbox"/> Rule 1150.1(f) See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1150.1(e) & (f) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Lead Acid Battery Manufacturing Plants	See Manufacturing, Lead Acid Battery		
<input type="checkbox"/> Lead Electroplating Operation	<input type="checkbox"/> Rule 1426 (05/02/03)		<input type="checkbox"/> Rule 1426(e)
<input type="checkbox"/> Manufacturing, Asphalt Processing & Roofing	<input type="checkbox"/> Rule 470 (05/07/76) <input type="checkbox"/> Rule 1108 (02/01/85) <input type="checkbox"/> Rule 1108.1 (11/04/83) <input type="checkbox"/> 40 CFR60 SUBPART UU <input type="checkbox"/> 40 CFR63 SUBPART LLLLL <input type="checkbox"/> 40 CFR63 SUBPART JJJJ	N/A <input type="checkbox"/> Rule 1108(b) <input type="checkbox"/> Rule 1108.1 (b) See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Brick & Structural Clay Products	<input type="checkbox"/> 40 CFR63 SUBPART KKKK <input type="checkbox"/> Rule 1141.1 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART HHHHH <input type="checkbox"/> Title 17 CCR 94500 <input type="checkbox"/> Rule 1131 (06/06/03) <input type="checkbox"/> 40 CFR63 SUBPART QQQQ <input type="checkbox"/> Rule 1117 (01/06/84) <input type="checkbox"/> 40 CFR60 SUBPART CC <input type="checkbox"/> 40 CFR61 SUBPART N	See Applicable Subpart N/A See Applicable Subpart <input type="checkbox"/> Rule 1131(e) See Applicable Subpart <input type="checkbox"/> Rule 1117(c), AQMD TM 7.1 or 100.1 See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart <input type="checkbox"/> Rule 1141.1(c) See Applicable Subpart <input type="checkbox"/> Rule 1131(d) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Hydrochloric Acid	<input type="checkbox"/> 40 CFR63 SUBPART NNNN <input type="checkbox"/> 40 CFR60 SUBPART KK <input type="checkbox"/> 40 CFR63 SUBPART AAAA <input type="checkbox"/> 40 CFR60 SUBPART SSS <input type="checkbox"/> 40 CFR63 SUBPART EE <input type="checkbox"/> 40 CFR63 SUBPART FFFF	See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Lead-Acid Battery	<input type="checkbox"/> Rule 218 (05/14/99) <input type="checkbox"/> Rule 1159 (12/06/85) <input type="checkbox"/> 40 CFR60 SUBPART G <input type="checkbox"/> Rule 1137 (02/01/02) <input type="checkbox"/> 40 CFR63 SUBPART DDDD <input type="checkbox"/> 40 CFR60 SUBPART DDD <input type="checkbox"/> 40 CFR63 SUBPART W <input type="checkbox"/> 40 CFR63 SUBPART J	<input type="checkbox"/> AQMD TM 100.1 <input type="checkbox"/> AQMD TM 7.1 or 100.1 See Applicable Subpart N/A See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 218(e) & (f) See Applicable Subpart <input type="checkbox"/> Rule 1137(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Manufacturing, Nitric Acid			
<input type="checkbox"/> Manufacturing, Plywood & Composite Wood Products			
<input type="checkbox"/> Manufacturing, Polymer Industry			

Section II - Applicable Requirements, Test Methods, & MRR Requirements				
EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT	
<input type="checkbox"/> Manufacturing, Polymeric Cellular Foam	<input type="checkbox"/> Rule 1175 (05/13/94) <input type="checkbox"/> 40 CFR63 SUBPART UUUU	<input type="checkbox"/> Rule 1175(f) See Applicable Subpart	<input type="checkbox"/> Rule 1175(e) See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Products Containing Halon Blends	<input type="checkbox"/> 40 CFR82 SUBPART H	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Products Containing Organic Solvents	<input type="checkbox"/> Rule 443.1 (12/05/86)	N/A	N/A	
<input type="checkbox"/> Manufacturing, Products Containing Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART A <input type="checkbox"/> 40 CFR82 SUBPART E	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Reinforced Plastic Composites	<input type="checkbox"/> 40 CFR63 SUBPART WWW	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Refractory Products	<input type="checkbox"/> 40 CFR63 SUBPART SSSS	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Resin	<input type="checkbox"/> Rule 1141 (11/17/00) <input type="checkbox"/> 40 CFR63 SUBPART W	<input type="checkbox"/> Rule 1141(d) See Applicable Subpart	<input type="checkbox"/> Rule 1141(c) See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Rubber Tire	<input type="checkbox"/> 40 CFR63 SUBPART XXXX	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Semiconductors	<input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1164 (01/13/95) <input type="checkbox"/> Rule 1171 (11/07/03) <input type="checkbox"/> 40 CFR63 SUBPART BBBB	<input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1164(c) <input type="checkbox"/> Rule 1171(f) See Applicable Subpart	<input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1164(c)(5) <input type="checkbox"/> Rule 1171(c)(6) See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Solvent	<input type="checkbox"/> Rule 443 (05/07/76)	N/A	N/A	
<input type="checkbox"/> Manufacturing, Sulfuric Acid	<input type="checkbox"/> Rule 469 (02/13/81) <input type="checkbox"/> 40 CFR60 SUBPART H <input type="checkbox"/> 40 CFR60 SUBPART Cd	<input type="checkbox"/> AQMD TM 6.1 or 6.2 See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Surfactant	<input type="checkbox"/> Rule 1141.2 (01/11/02)	<input type="checkbox"/> AQMD TM 25.1		
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	<input type="checkbox"/> 40 CFR60 SUBPART III <input type="checkbox"/> 40 CFR60 SUBPART NNN	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	<input type="checkbox"/> 40 CFR60 SUBPART RRR	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Vinyl Chloride	<input type="checkbox"/> 40 CFR61 SUBPART F	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Manufacturing, Water Heaters	<input type="checkbox"/> Rule 1121 (09/03/04)	N/A	N/A	
<input type="checkbox"/> Manufacturing, Wool Fiberglass Insulation	<input type="checkbox"/> 40 CFR60 SUBPART PPP	See Applicable Subpart	See Applicable Subpart	
<input type="checkbox"/> Manure Processing Operations	<input type="checkbox"/> Rule 1127	<input type="checkbox"/> Rule 1127(h)	<input type="checkbox"/> Rule 1127(g)	
<input type="checkbox"/> Marine Tank Vessel Operations	<input type="checkbox"/> Rule 1142 (07/19/91) <input type="checkbox"/> 40 CFR63 SUBPART Y	<input type="checkbox"/> Rule 1142(e) See Applicable Subpart	<input type="checkbox"/> Rule 1142(h) See Applicable Subpart	
<input type="checkbox"/> Mercury Emissions	<input type="checkbox"/> 40 CFR61 SUBPART E <input type="checkbox"/> 40 CFR63 SUBPART IIII	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Motor Vehicle Air Conditioners with Ozone Depleting Substances (ODS): Repair, Service, Manufacturing, Maintenance, or Disposal	<input type="checkbox"/> 40 CFR82 SUBPART B <input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart See Applicable Subpart	See Applicable Subpart See Applicable Subpart	
<input type="checkbox"/> Municipal Waste Combustors	<input type="checkbox"/> 40 CFR60 SUBPART Cb	See Applicable Subpart	See Applicable Subpart	
KEY	Reg. = AQMD Regulation	App. = Appendix	CFR = Code of Federal Regulations	AQMD Form Rev. 05/05
ABBREVIATIONS:	Rule = AQMD Rule	AQMD TM = AQMD Test Method	CCR = California Code of Regulations	500-C1 Page 11 of 11

Section II - Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
	<input type="checkbox"/> Rule 466 (10/07/83) <input type="checkbox"/> Rule 466.1 (03/16/84) <input type="checkbox"/> Rule 467 (03/05/82) <input type="checkbox"/> 40 CFR60 SUBPART GGG <input type="checkbox"/> 40 CFR61 SUBPART V <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 466(f) <input type="checkbox"/> Rule 466.1(g) <input type="checkbox"/> Rule 467(f) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 466(c) <input type="checkbox"/> Rule 466.1(h) <input type="checkbox"/> Rule 467(e) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Storage Tanks	<input type="checkbox"/> Rule 463 (05/06/05) <input type="checkbox"/> Rule 1178 (12/11/01) <input type="checkbox"/> 40 CFR60 SUBPART K <input type="checkbox"/> 40 CFR60 SUBPART Ka <input type="checkbox"/> 40 CFR60 SUBPART Kb <input type="checkbox"/> 40 CFR63 SUBPART F <input type="checkbox"/> 40 CFR63 SUBPART G <input type="checkbox"/> 40 CFR63 SUBPART H <input type="checkbox"/> 40 CFR63 SUBPART I <input type="checkbox"/> 40 CFR63 SUBPART R <input type="checkbox"/> 40 CFR63 SUBPART CC <input type="checkbox"/> 40 CFR63 SUBPART EEEE	<input type="checkbox"/> Rule 463(g) <input type="checkbox"/> Rule 1178(i) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 463(e)(5) <input type="checkbox"/> Rule 1178(f) & (h) See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Petroleum Refineries, Wastewater Systems	<input type="checkbox"/> Rule 1176 (09/13/96) <input type="checkbox"/> Rule 464 (12/07/90) <input type="checkbox"/> 40 CFR60 SUBPART QQQ <input type="checkbox"/> 40 CFR63 SUBPART CC	<input type="checkbox"/> Rule 1176(h) N/A See Applicable Subpart See Applicable Subpart	<input type="checkbox"/> Rule 1176(f) & (g) See Applicable Subpart See Applicable Subpart
<input type="checkbox"/> Pharmaceuticals & Cosmetics Manufacturing	<input type="checkbox"/> Rule 1103 (03/12/99) <input type="checkbox"/> Rule 109 (05/02/03) <input type="checkbox"/> Rule 1162 (07/09/04) <input type="checkbox"/> Rule 1171 (11/07/03)	<input type="checkbox"/> Rule 1103(f) <input type="checkbox"/> Rule 109(g) <input type="checkbox"/> Rule 1162(f) <input type="checkbox"/> Rule 1171(f)	<input type="checkbox"/> Rule 1103(e) <input type="checkbox"/> Rule 109(c) <input type="checkbox"/> Rule 1162(c) <input type="checkbox"/> Rule 1171(c)(6)
<input type="checkbox"/> Primary Magnesium Refining	<input type="checkbox"/> 40 CFR63 SUBPART TTTT	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Printing Press	See Coating Operations		
<input type="checkbox"/> Publicly Owned Treatment Works Operations	<input type="checkbox"/> Rule 1179 (03/06/92) <input type="checkbox"/> 40 CFR60 SUBPART O	<input type="checkbox"/> Rule 1179(e) See Applicable Subpart	<input type="checkbox"/> Rule 1179(c) & (d) See Applicable Subpart
<input type="checkbox"/> Pumps	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Recycling & Recovery Equipment for Ozone Depleting Substances (ODS),	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Refrigerant Reclaimers for Ozone Depleting Substances (ODS)	<input type="checkbox"/> 40 CFR82 SUBPART F	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Rendering Plant	<input type="checkbox"/> Rule 472 (05/07/76)	N/A	<input type="checkbox"/> Rule 472(b)
<input type="checkbox"/> Rock Crushing	See Nonmetallic Mineral Processing Plants		

Section II: Applicable Requirements, Test Methods, & MRR Requirements

EQUIPMENT/PROCESS	APPLICABLE REQUIREMENT	TEST METHOD	MRR REQUIREMENT
<input type="checkbox"/> Semiconductor Manufacturing	See Manufacturing, Semiconductors		
<input type="checkbox"/> Sewage Treatment Plants	See Publicly Owned Treatment Works Operation		
<input type="checkbox"/> Site Remediation	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Primary Copper	<input type="checkbox"/> 40 CFR63 SUBPART QQQ	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Smelting, Secondary Lead	<input type="checkbox"/> 40 CFR60 SUBPART L	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART X	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Soil Decontamination	<input type="checkbox"/> Rule 1166 (05/11/01)	<input type="checkbox"/> Rule 1166(e)	<input type="checkbox"/> Rule 1166(c)(1)(C)
	<input type="checkbox"/> 40 CFR63 SUBPART GGGGG	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Spray Booth	See Coating Operations		
<input type="checkbox"/> Sterilizer, Ethylene Oxide	<input type="checkbox"/> 40 CFR63 SUBPART O	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Storage Tank, Degassing Operation	<input type="checkbox"/> Rule 1149 (07/14/95)		
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input checked="" type="checkbox"/> Storage Tank, Greater Than 19,815 Gallon Capacity	<input checked="" type="checkbox"/> Rule 463 (05/06/05)	<input type="checkbox"/> Rule 463(g)	<input type="checkbox"/> Rule 463(e)(5)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART K	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Ka	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR60 SUBPART Kb	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART R	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Synthetic Fiber Production Facilities	<input type="checkbox"/> 40 CFR60 SUBPART HHH	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Taconite Iron Ore Processing Facilities	<input type="checkbox"/> 40 CFR63 SUBPART RRRRR	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Gas-Fired	<input type="checkbox"/> Rule 1134 (08/08/97)	<input type="checkbox"/> CEMS Rule 1134(e) & (g)	<input type="checkbox"/> Rule 1134(d) & (f)
	<input type="checkbox"/> Rule 475 (08/07/78)	<input type="checkbox"/> AQMD TM 5.1, 5.2, or 5.3	
	<input type="checkbox"/> 40 CFR60 SUBPART GG	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART YYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Turbine, Stationary Oil-Fired	<input type="checkbox"/> 40 CFR63 SUBPART YYY	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Valves	See Fugitive Emissions or Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Vessel, Refinery Process	<input type="checkbox"/> Rule 1123 (12/07/90)	N/A	<input type="checkbox"/> Rule 1123(c)
<input type="checkbox"/> Vessels	See Petroleum Refineries, Fugitive Emissions		
<input type="checkbox"/> Wastewater, Chemical Plant	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> 40 CFR63 SUBPART F	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART G	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART H	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART I	See Applicable Subpart	See Applicable Subpart
	<input type="checkbox"/> 40 CFR63 SUBPART CC	See Applicable Subpart	See Applicable Subpart
<input type="checkbox"/> Wastewater Treatment, Other	<input type="checkbox"/> Rule 464 (12/07/90)	N/A	<input type="checkbox"/> Rule 1176(f) & (g)
	<input type="checkbox"/> Rule 1176 (09/13/96)	<input type="checkbox"/> Rule 1176(h)	
<input type="checkbox"/> Woodworking Operations	<input type="checkbox"/> Rule 1137 (02/01/02)	N/A	<input type="checkbox"/> Rule 1137(e)

Section III – Supplemental Identification of Specific Requirements

Complete this section only if there is a specific requirement (i.e., rule reference, test method, or MRR requirement) that is:

1. Listed for a specific type of equipment or process in Section II of this form & **DOES NOT** pertain to a specific device at your facility*; OR,
2. Is **NOT** Listed for a specific type of equipment or process in Section II of this form but it **IS** applicable to a specific device at your facility.

NOTES:

1. For any specific requirement, test method, or MRR requirement that is identified as "Remove," attach additional sheets to explain the reasons why the specific requirement does not pertain to the device listed.
2. All boxes that are checked in Section II and any additional requirements identified in this section as "Add" will be used to determine the facility's compliance status. This information will be used to verify the certification statements made on Form 500-A2.
3. Do not use this section to identify equipment that is exempt from specific rule requirements. Your equipment is automatically considered to be in compliance with the rule that specifically exempts the equipment from those requirements.
4. Listing any requirement that does not apply to a specific piece of equipment in this section will not provide the facility with a permit shield unless one is specifically requested by completing Form 500-D and approved by the AQMD.

* If this section is completed as part of the initial Title V application & there is no device number assigned, refer to the existing permit or application number in this column.

[illegible]

Section IV SIP-Approved Rules That Are Not The Most Current AQMD Rules

Check off each SIP-Approved Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
218	08/07/81	<input type="checkbox"/>	1146.2	01/09/98	<input type="checkbox"/>
401	03/02/84	<input checked="" type="checkbox"/>	1162	11/17/00	<input type="checkbox"/>
403	12/11/98	<input type="checkbox"/>	1166	07/14/95	<input type="checkbox"/>
403.1	01/15/93	<input type="checkbox"/>	1168	10/03/03	<input checked="" type="checkbox"/>
431.2	05/04/90	<input type="checkbox"/>	1171	11/07/03	<input checked="" type="checkbox"/>
463	03/11/94	<input type="checkbox"/>	1173	05/13/94	<input type="checkbox"/>
466.1	05/02/80	<input type="checkbox"/>	1186	09/10/99	<input type="checkbox"/>
469	05/07/76	<input type="checkbox"/>	2000	05/11/01	<input type="checkbox"/>
475	10/08/76	<input type="checkbox"/>	2001	05/11/01	<input type="checkbox"/>
1112	01/06/84	<input type="checkbox"/>	2002	05/11/01	<input type="checkbox"/>
1113	11/08/96	<input checked="" type="checkbox"/>	2005	04/20/01	<input type="checkbox"/>
1121	12/10/99	<input type="checkbox"/>	2007	12/05/03	<input type="checkbox"/>
1122	07/11/97	<input checked="" type="checkbox"/>	2010	05/11/01	<input type="checkbox"/>
1132	03/05/04	<input type="checkbox"/>	2011	12/05/03	<input type="checkbox"/>
1140	02/01/80	<input checked="" type="checkbox"/>	2012	12/05/03	<input checked="" type="checkbox"/>
1145	02/14/97	<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

Section V AQMD Rules That Are Not SIP-Approved (Continued on Following Page)

Check off each AQMD Rule as it applies to the facility. Use the blanks at the end of this form to fill-in new items.

Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies	Non SIP-Approved Rule	Adoption/ Amendment Date	Check (✓) if Applies
53 Los Angeles Co.	N/A	<input type="checkbox"/>	1170	05/06/88	<input type="checkbox"/>
53 Orange Co.	N/A	<input type="checkbox"/>	1183	03/12/93	<input type="checkbox"/>
53 Riverside Co.	N/A	<input type="checkbox"/>	1186.1	06/04/04	<input type="checkbox"/>
53 San Bernardino Co.	N/A	<input type="checkbox"/>	1191	06/16/00	<input type="checkbox"/>
53A San Bernardino Co.	N/A	<input type="checkbox"/>	1192	06/16/00	<input type="checkbox"/>
218.1	05/14/99	<input type="checkbox"/>	1193	06/06/03	<input type="checkbox"/>
402	05/07/76	<input checked="" type="checkbox"/>	1194	10/20/00	<input type="checkbox"/>
429	12/21/90	<input type="checkbox"/>	1195	04/20/01	<input type="checkbox"/>
430	07/12/96	<input type="checkbox"/>	1196	06/04/04	<input type="checkbox"/>
441	05/07/76	<input type="checkbox"/>	1401	03/04/05	<input checked="" type="checkbox"/>
473	05/07/76	<input type="checkbox"/>	1402	03/04/05	<input type="checkbox"/>
477	04/03/81	<input type="checkbox"/>	1403	04/08/94	<input type="checkbox"/>
480	10/07/77	<input type="checkbox"/>	1404	04/06/90	<input type="checkbox"/>
1105.1	11/07/03	<input type="checkbox"/>	1405	01/04/91	<input type="checkbox"/>
1109	08/05/88	<input type="checkbox"/>	1406	07/08/94	<input type="checkbox"/>
1110.1	10/04/85	<input checked="" type="checkbox"/>	1407	07/08/94	<input type="checkbox"/>
1110.2	11/14/97	<input checked="" type="checkbox"/>	1411	03/01/91	<input type="checkbox"/>
1116.1	10/20/78	<input type="checkbox"/>	1414	05/03/91	<input type="checkbox"/>
1118	02/13/98	<input type="checkbox"/>	1415	10/14/94	<input type="checkbox"/>
1127	08/06/04	<input type="checkbox"/>	1418	09/10/99	<input type="checkbox"/>
1148.1	03/05/04	<input type="checkbox"/>	1420	09/11/92	<input type="checkbox"/>
1150	10/15/82	<input type="checkbox"/>	1421	12/06/02	<input type="checkbox"/>
1157	01/07/05	<input type="checkbox"/>	1425	03/16/01	<input type="checkbox"/>
1163	06/07/85	<input type="checkbox"/>	1426	05/02/03	<input type="checkbox"/>

Section V AQMD Rules That Are Not SIP-Approved (Continued on Following Page)					
1469	05/02/03	<input type="checkbox"/>	2009.1	05/11/01	<input type="checkbox"/>
1469.1	03/04/05	<input type="checkbox"/>	2020	05/11/01	<input type="checkbox"/>
1470	03/04/05	<input checked="" type="checkbox"/>	2501	05/09/97	<input type="checkbox"/>
2009	01/07/05	<input checked="" type="checkbox"/>	2506	12/10/99	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>



**South Coast Air Quality Management District
Form 500-H (Title V)
Applicability Determination**

This form is required as part of an initial, significant permit revision, or renewal Title V application. If your Title V facility has control devices in use, the CAM rule may apply. Follow the instructions on the reverse side of this form to determine whether your facility is subject to CAM requirements.

Mail Application To:
P.O. Box 4944
Diamond Bar, CA 91765
Tel: (909) 396-3388
www.aqmd.gov

Section I – CAM Status Summary for Emission Units

1. Permit to be issued to (Business name of operator to appear on permit):
LA City DWP, Scattergood Generating Station
2. Valid AQMD Facility ID (Available on Permit or Invoice issued by AQMD):
800075

3. Based on the criteria in the instructions (check one and attach additional pages as necessary):
- a. ☐ The emission units identified below are subject to the CAM rule¹ and a CAM plan² is attached for each affected emissions unit: b. ☒ There are no emission units with control devices at this Title V facility that are subject to the CAM rule.

[illegible]

¹ For more detailed information regarding the CoM rule applicability, refer to Title 40, Chapter I, Part 64, Section 64.1 of the Code of Federal Regulations (40 CFR Part 64, Section 64.1). This also can be accessed via the internet at: http://www.access.gpo.gov/nara/cfr/waisidx_99/40cfr64_99.html.

² Only one CoM plan is required for a control device that is common to more than one emissions unit, or if an emissions unit is controlled by more than one control device similar in design and operation. If the control devices are not similar in design and operation, one plan is required for each control device.

³ List all new and existing emission units and the connected control devices either by AQMD application, permit or device number. When the emission unit is new and has not yet been assigned an application number, leave this column blank.

⁴ Provide a brief equipment description of the emission units and control devices by indicating equipment type, make, and model and serial numbers as appropriate.

5. Potential to Emit

Instructions for Determining Applicability to the CAM Rule

With the exception of emission units that are municipally-owned backup utility power units as described by 40 CFR Part 64, Section 64.2(b)(2)¹, the CAM rule is applicable to each emission unit (existing and new construction) at a Title V facility that meets ALL of the following criteria²:

1. The emission unit is subject to an emission limitation or standard³ (often found in permit conditions);
2. The emission unit uses a control device to achieve compliance with the emission limitation or standard; and,
3. The emission unit has a potential to emit (PTE)⁴, either pre-control or post-control depending on the type of Title V application⁵, that exceeds or is equivalent to any of Title V major source thresholds shown in the following table:

Pollutant	South Coast Air Basin (SOCAB)	CAM Potential to Emit (PTE) Emission Threshold For Individual Emission Units at a Title V Facility (tons per year)	
		Riverside County Portion of Salton Sea Air Basin (SSAB) and Los Angeles County Portion of Mojave Desert Air Basin (MDAB)	Riverside County Portion of Mojave Desert Air Basin (MDAB)
VOC	10	25	100
NOx	10	25	100
SOx	100	100	100
CO	50	100	100
PM-10	70	70	100
1 HAPs	10	10	10
2+ HAPs	25	25	25

¹ The facility must attach the documentation required by 40 CFR Part 64, Section 64.2(b)(2) to demonstrate that the backup utility power unit only operates during periods of peak demand or emergency situations, and has actual emissions, averaged over the last three calendar years of operation, less than 50% of the major source emission thresholds.

² Additional information about the CAM rule can be found on EPA's website at <http://www.epa.gov/tremc01/cam.html>.

³ Only emission limitations and standards from an "applicable requirement" for emission units with control devices are subject to the CAM rule. Applicable requirements are federally-enforceable requirements that are rules adopted by AQMD or the State that are approved by EPA into the State Implementation Plan (SIP) (i.e., SIP-approved rules). Refer to Form 500-C for the latest versions of SIP-approved and non-SIP approved rules.

For emissions units with control devices that are subject to following federally enforceable requirements, the CAM rule does NOT apply: 1) NSPS (40 CFR Part 60); 2) NESHAP (40 CFR Parts 61 and 63); 3) Title VI of the Federal Clean Air Act (CAA) for Stratospheric Ozone Protection; 4) Title IV of the CAA and SCAQMD Regulation XXXI for Acid Rain facilities; 5) SCAQMD Regulation XX - RECLAIM; 6) Any emission cap that is federally enforceable, quantifiable, and meets the requirements in 40 CFR Part 70, Section 70.4 (b)(12); and 6) Emission limitation or standards for which a continuous compliance determination method is required.

⁴ To calculate the pre-control device and post-control device PTE for emission units at the facility, refer to the Title V Technical Guidance Document Version 2.0, Appendix A (pages A-12 through A-23). The calculations are used to determine the CAM applicability according to 40 CFR Part 64, Section 64.5 of the CAM rule.

⁵ For initial Title V or significant permit revision applications submitted after April 20, 1998, use the post-control device PTE emissions to determine CAM applicability. For Title V permit renewal applications (submittals will begin in 2002), the CAM applicability will be based on the pre-control device PTE.

⁶ Hazardous Air Pollutant



South Coast Air Quality Management District
P. O. Box 4944
Diamond Bar, CA 91765
(909) 396-2000

APPLICATION FOR PERMIT TO CONSTRUCT AND PERMIT TO OPERATE FORM 400 - A

Non-Title V Facilities: This form must be accompanied by one or more 400-E-xx series form(s). Complete this side of form only.

Title V Facilities: Complete both sides of this form. Include additional forms as necessary.

NC/NOV NUMBER:

INSPECTOR

SECTOR

ISSUE DATE

Section I - Company Information

LEGAL NAME OF OPERATOR

Los Angeles Department of Water and Power

☒ IRS OR ☐ S. S. NUMBER

9 5 6 0 0 0 7 3 6

PERMIT TO BE ISSUED TO (SEE INSTRUCTIONS)

Los Angeles Department of Water and Power

BUSINESS MAILING ADDRESS

4 111 North Hope Street, Room 1050, Los Angeles, CA 90012

PERMIT MAILING ADDRESS, IF DIFFERENT FROM BUSINESS MAILING ADDRESS

Same

TYPE OF ORGANIZATION

☐ Corporation
☐ Individual

☐ Limited Partnership
☐ General Partnership

☒ Government Entity
☐ Other (fill in):

ARE YOU A SMALL BUSINESS?
(SEE INSTRUCTIONS)

☐ Yes ☒ No

AVERAGE ANNUAL GROSS RECEIPTS

\$ > 2 Billion

IS YOUR BUSINESS 51% OR MORE
WOMAN/MINORITY OWNED?

NUMBER OF EMPLOYEES

7,000

☐ Yes ☒ No

THIS SECTION IS REQUIRED FOR ALL APPLICATIONS FOR NEW CONSTRUCTION OR MAJOR MODIFICATIONS.

ARE ALL MAJOR SOURCES UNDER SAME OWNERSHIP IN CALIFORNIA IN COMPLIANCE WITH
FEDERAL, STATE, AND LOCAL AIR POLLUTION CONTROL RULES?

☒ Yes ☐ No

ARE YOU THE OWNER OF THE EQUIPMENT UNDER THIS APPLICATION?

☒ Yes ☐ No

☐ IRS OR ☐ S. S. NUMBER OF OWNER

IF NO, ENTER THE LEGAL NAME OF OWNER

Section II - Facility Information

EQUIPMENT ADDRESS/LOCATION

12700 Vista Del Mar

NUMBER/STREET

Playa Del Rey

CA, 90293

CITY OR COMMUNITY

ZIP CODE

FACILITY NAME

Scattergood Generating Station

FACILITY ID NUMBER

8 0 0 0 7 5

PRINT NAME OF CONTACT PERSON

Bruce M. Moore

TITLE OF CONTACT PERSON

Manager, Air Quality Group

TYPE OF BUSINESS AT THIS FACILITY

Electric Generation

PRIMARY SIC CODE FOR THIS FACILITY

4 9 4 0

NUMBER OF EMPLOYEES AT THIS
FACILITY 48

CONTACT PERSON'S TELEPHONE NUMBER

(213) 367 - 3772

CONTACT PERSON'S FAX NUMBER

(213) 367 - 4710

CONTACT PERSON'S E-MAIL ADDRESS

bruce.moore @ ladwp.com

Section III - Application Type

DESCRIPTION OF EQUIPMENT: Facility Equipment Under Title V

PREVIOUS PERMIT NUMBER:

APPLICATION FOR (SEE INSTRUCTIONS):

☐ NEW CONSTRUCTION ☐ MODIFICATION ☐ CHANGE OF LOCATION
☐ EXISTING EQUIPMENT WITHOUT PERMIT ☐ CHANGE OF PERMITTEE ☐ CHANGE OF PERMIT CONDITION
☐ EXISTING EQUIPMENT WITH EXPIRED PERMIT ☒ Renew Title V Permit

ARE YOU SUBMITTING MULTIPLE APPLICATIONS FOR
EQUIPMENT IDENTICAL TO THAT DESCRIBED ABOVE?
☐ Yes ☒ No

☒ APPLICATION FOR NON-TITLE V EQUIPMENT PERMIT. CHECK THE SUPPLEMENTAL SERIES 400-E-xx FORM(S) SUBMITTED WITH THIS 400-A FORM:

400-E-1 • PARTICULATE MATTER (PM₁₀) CONTROL EQUIPMENT
400-E-2 • VOLATILE ORGANIC COMPOUND (VOC) CONTROL EQUIPMENT
400-E-3 • SCRUBBER
400-E-4 • ABRASIVE BLASTING EQUIPMENT
400-E-6 • DEGREASER
400-E-7 • DRY CLEANING EQUIPMENT
400-E-8 • ETHYLENE OXIDE STERILIZER
400-E-9 • EXTERNAL COMBUSTION EQUIPMENT
400-E-10 • FOOD BROILER/FRYER
400-E-11 • FUEL DISPENSING AND STORAGE EQUIPMENT
400-E-12 • GAS TURBINE

400-E-13 • INTERNAL COMBUSTION EQUIPMENT
400-E-14 • OPEN PROCESS TANK
400-E-14a • OPEN PROCESS TANK; PROCESS LINE
400-E-15 • PRINTING EQUIPMENT
400-E-16 • SOLID MATERIALS STORAGE EQUIPMENT
400-E-17 • SPRAY BOOTH/OPEN SPRAY
400-E-17a • POWDER SPRAY BOOTH
400-E-18 • STORAGE TANK (LIQUID & GASEOUS MAT'L)
400-E-19 • WAVE SOLDER MACHINE
400-E-20 • ASBESTOS REMOVAL EQUIPMENT
NONE • ADDITIONAL INFORMATION SUBMITTED AS REQUESTED ON FORM 400-E-GI

☒ APPLICATION FOR TITLE V FACILITY PERMIT. PROVIDE INFORMATION REQUESTED ON REVERSE SIDE OF THIS FORM.

I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT.

SIGNATURE OF RESPONSIBLE OFFICIAL OF FIRM:

TITLE OF RESPONSIBLE OFFICIAL OF FIRM:

CHIEF OPERATING OFFICER-POWER SYSTEM

TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL OF FIRM:

ENRIQUE MARTINEZ

RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER

(213) 367 - 4435

DATE SIGNED:

10/29/03

I HEREBY CERTIFY THAT ALL INFORMATION CONTAINED HEREIN AND INFORMATION SUBMITTED WITH THIS APPLICATION IS TRUE AND CORRECT.

SIGNATURE OF PREPARER, IF PREPARED BY PERSON OTHER THAN RESPONSIBLE OFFICIAL OF FIRM:

TITLE OF PREPARER:

ENVIRONMENTAL SUPERVISOR

TYPE OR PRINT NAME OF PREPARER, IF PREPARED BY PERSON OTHER THAN RESPONSIBLE OFFICIAL OF FIRM:

TIMOTHY L. CONKIN

PREPARER'S TELEPHONE NUMBER

(213) 367 - 0443

DATE SIGNED:

10/29/03

TITLE V FACILITIES ONLY: COMPLETE OTHER SIDE

AQMD
USE ONLY

APPLICATION/TRACKING #

421797

PROJECT #

(31654)

TYPE
B C D

EQUIPMENT CATEGORY CODE:

09 V 598375
A 3127/23

FEE SCHEDULE:

VALIDATION

10/31/03

ENG. A R DATE	ENG. A R DATE	CLASS IV	ASSIGNMENT UNIT ENGINEER	ENF. SECT.	CHECK/MONEY ORDER #	AMOUNT \$
------------------	------------------	-------------	--------------------------------	---------------	------------------------	--------------

FORM 400-A, Rev. 10/97

TITLE V APPLICATION CERTIFICATION

- TO BE COMPLETED BY TITLE V FACILITIES ONLY -

Section IV - Title V Application

- This is an application for a(n) (Check all applicable boxes and provide the requested information as appropriate):
 - ☐ Initial Title V Permit
 - ☒ Permit Renewal: Provide current permit expiration date: 08 / 18 / 04
 - ☐ Administrative Permit Revision (Check all that apply)
 - ☐ Change of Ownership. (Complete and attach equipment-specific Form 400-E-xx series forms)
 - ☐ Change of Facility Information
 - ☐ Other, Please specify: _____
 - ☐ Other (Complete and attach equipment specific Form 400-E-XX series form(s) to this form if your application involves permit action for new construction, change of location, non-administrative permit revision, alternative operating scenario (AOS), permit shield, streamlined permit conditions, or temporary source permit.)
- Is this facility required to prepare a Risk Management Plan (RMP) for another agency? ☒ Yes ☐ No

Section V - Title V Submittal Checklist

- Enter the quantity of each type form submitted in the space provided:

<u>1</u> 500-A2	<u>0</u> 500-F1
<u>1</u> 500-B	<u>0</u> 500-F2
<u>1</u> 500-C1	<u>0</u> 500-F3
<u>0</u> 500-C2	<u>0</u> 500-F4
<u>0</u> 500-D	<u>1 each</u> Other (specify): <u>400-CEQA, 500-H</u>
- Additional information referenced in this application submitted (Check **ALL** that apply):
 - ☒ Existing Facility Permit
 - ☐ Preliminary Facility Permit
 - ☐ EFB Report for Year _____
 - ☐ None
 - ☐ Other (Specify): _____
- Supplemental information included with this application submittal (Check **ALL** that apply):
 - ☐ Facility Plot Plan
 - ☐ MSDS Sheet(s)
 - ☒ None
 - ☐ Other (Specify): _____

AQMD USE ONLY	APPLICATION TYPE	30 DAY PUBLIC NOTICE		PUBLIC HEARING	45-DAY EPA REVIEW	
	INITIAL, RENEWAL & SIGNIFICANT	START DATE	END DATE	DATE	START DATE	END DATE
	MINOR & DEMINIMUS					
	ESTABLISH GENERAL PERMIT					
USE THE SECTIONS BELOW FOR TITLE V INITIAL AND RENEWAL APPLICATIONS ONLY:						
APPLICATION/TRACKING # <u>421797</u>		PROJECT #		TYPE B C D	EQUIPMENT CATEGORY CODE: <u>5550021</u>	FEE SCHEDULE: \$
ENG. A R DATE <u>2-11-04</u>	ENG. A R DATE	CLASS I III IV	ASSIGNMENT UNIT ENGINEER		ENF. SECT.	CHECK/MONEY ORDER AMOUNT # \$